

MERCEDES BENZ



MERCEDES BENZ

Page No

AXOR OM 457 Version 1	2
OM 906	6
OM 906	10
AXOR OM 457	14
AXOR OM 457	18
TRAVEGO 15, TOURISMO 15, SETRA 415, CITARO 18M	22
AXOR OM 457	26
AXOR, ATEGO	30
AXOR, ATEGO	34
AXOR, ATEGO	38
AXOR, ATEGO	42
OM 501 & 502 V6	46
OM 501 & 502 V6	50
OM 501 & 502 V8	54
O 345 BUS, OM 447 HLA	58
OM 447 HG	62
OM 447 HLA	64
OM 442 V8	68
MB 407	72
MB 407	76
MB 407	80
MB 407	82
MB 407	84
MB 407	88
MB 407	90
MB 407	92
OM 401, 402, V6, V8	96
MB 407	100
OM 401, 402, V6, V8	104
OM 355	108
2521 OM 366	112
2521 OM 366	116
OM 355, 360	120
OM 355, 360	124
OM 355, 360	128
OM 356, 366	130
MB 407	134
OM 904 LA, 906 LA, 924 LA	138
OM 924 LA, 926 LA, 904 LA, 906 LA	142
M 906 LAG, OM 906 LA/HLA, OM 926 LA	146
CITARO 12M, AXOR, OM 926 LA, OM 906 LA	150
AXOR, CITARO, OM 457	154
AXOR, CITARO, OM 457	158
AXOR, CITARO, OM 457	162
2517 OM 355	166
UNIMOG	170
OM926 LA, CITARO, TOURINO, INTOURO	174
OM926 LA, CITARO, TOURINO, INTOURO	178
OM 501 & 502 V8 (EURO 4-5)	182
OM 501 & 502 V6 (EURO 4-5)	186
OM 501 & 502 V8 (EURO 4-5)	190

WBS[®]
AIR BRAKE COMPONENTS



MERCEDES BENZ

www.wbs-auto.com

CK.103.000

MERCEDES BENZ
003 131 63 01 / 004 131 58 01
003 131 48 01 / 004 131 19 01
004 131 62 01
KNORR-BREMSE
LK1511 - I83539
LK1532 - LK1550

CK.104.000

MERCEDES BENZ
004 131 05 01
KNORR-BREMSE
LK1527 - I88770

CK.166.000

MERCEDES BENZ
004 131 05 01
KNORR-BREMSE
LK1527 - I88770



CK.103.000 / CK.104.000



CK.166.000

VEHICLE APPLICATION

2517 / OM 360 A / OM 366 LA / OM 355 / OM 362


*** CK.103.000 / CK.104.000 - Version Same as Original Bushing Design

*** CK.166.000 - Version Iron Flange with Ball Bearing Design

Cylinder Bore	Ø75.00	Number of Cylinders	1	Water or Air Cooled	Air	Unloader Port Size	-
Stroke	35 mm	Air Inlet Port Size	M26x1,5	Through Drive	Pulley	Water Inlet Port Size	-
Swept Volume	150 cm ³	Air Delivery Port Size	M26x1,5	With ESS System	-	Water Delivery Port Size	-

Complete Cylinderhead

CK.104.1000



Cylinderhead


CK.104.1010



MERCEDES BENZ : 000 131 27 19
KNORR-BREMSE : II38602F/004

Complete Valve Plate

CK.104.200



MERCEDES BENZ : 000 130 49 20
KNORR-BREMSE : II38717F/004

Valve Plate


CK.104.2010



KNORR-BREMSE : SEB00460/004

Repair Kit


CK.104.903



KNORR-BREMSE : SEB22161

Repair Kit

CK.104.904





Piston & Ring

75.00 mm CK.108.350

75.25 mm CK.108.960

75.50 mm CK.108.970

Piston

75.00 mm CK.108.351

75.25 mm CK.108.961

75.50 mm CK.108.971

Ring

75.00 mm CW.108.352

2.00+2.00+4.00

75.25 mm CW.108.962

75.50 mm CW.108.972

Crankcase

CK.104.4010

Connecting Rod

CK.102.501

MERCEDES BENZ : 000 131 18 17
KNORR-BREMSE : B80110 / I60599

Crankshaft

CK.104.601

CK.104.601 - Fit CK.103.000 & CK.104.000 - Bushing Design

CK.166.601

CK.166.601 - Fit CK.166.000 - Bearing Design

KNORR-BREMSE : B76374-2

Cylinder Liner Set

CK.102.300

STD. Piston & Ring

MERCEDES BENZ : 000 131 34 02 / 000 131 36 02 / 000 131 42 02

Cylinder Liner

CK.102.3010

KNORR-BREMSE : ZB4265

Flange Cover

CK.104.7001

CK.104.7001 Aluminum Cover - Fit CK.103.000 & CK.104.000

CK.124.7001

CK.124.7001 Iron Bearing Cover - Fit CK.166.000

Rear Cover

CK.104.7002

Bushing

CK.102.434

34x30x16, with oil groove

MERCEDES BENZ : 000 131 31 50
KNORR-BREMSE : B44935

Bushing

CK.102.708

34x30x16, without oil groove

MERCEDES BENZ : 000 131 30 50 / 000 131 39 50
KNORR-BREMSE : B64572

CK.119.000

MERCEDES BENZ
003 131 97 01
004 131 97 01
KNORR-BREMSE
LK1808 - I87904

CK.180.000

MERCEDES BENZ
004 131 01 01
KNORR-BREMSE
LK1811 - I94362

VEHICLE APPLICATION

OM 355
OM 366



CK.119.000



CK.180.000

*** CK.119.000 - Version Iron Flange with Ball Bearing Design
*** CK.180.000 - Version Aluminum Flange with Bushing Design

Cylinder Bore	Ø88.00	Number of Cylinders	1	Water or Air Cooled	Air	Unloader Port Size	-
Stroke	37 mm	Air Inlet Port Size	M26x1,5	Through Drive	Pulley	Water Inlet Port Size	-
Swept Volume	225 cm ³	Air Delivery Port Size	M26x1,5	With ESS System	-	Water Delivery Port Size	-

Complete Cylinderhead

CK.119.1000



MERCEDES BENZ : 000 131 29 19

Cylinderhead

CK.119.1010



MERCEDES BENZ : 000 131 37 19
KNORR-BREMSE : I92542

Complete Valve Plate

CK.119.200



MERCEDES BENZ : 000 130 71 20 / 000 130 24 20
KNORR-BREMSE : I80398004 / II38714F004

Valve Plate


CK.119.2010



MERCEDES BENZ : 000 131 05 36

Repair Kit

CK.119.903



KNORR-BREMSE : STW63784

Repair Kit

CK.119.904





Piston & Ring

88.00 mm **CK.116.350**

88.25 mm **CK.116.960**

88.50 mm **CK.116.970**

KNORR-BREMSE : SEB22555

Piston

88.00 mm **CK.116.351**

88.25 mm **CK.116.961**

88.50 mm **CK.116.971**

Ring

88.00 mm **CW.116.352**

2.00+2.00+4.00

88.25 mm **CW.116.962**

88.50 mm **CW.116.972**

Crankcase

CK.104.4010

Connecting Rod

CK.102.501

MERCEDES BENZ : 000 131 18 17
KNORR-BREMSE : B80110 / I60599

Crankshaft

CK.119.601

CK.119.601 - Fit Compressor CK.119.000 - Bearing Design

CK.130.601

CK.130.601 - Fit Compressor CK.180.000 - Bushing Design

MERCEDES BENZ : 000 131 23 16

Cylinder Liner Set

CK.130.300

STD. Piston & Ring

KNORR-BREMSE : I80864/0061

Cylinder Liner

CK.130.3010

MERCEDES BENZ : 000 131 42 02
KNORR-BREMSE : C63059

Flange Cover

CK.104.7001

Aluminum Bushing Cover - Fit CK.180.000

Rear Cover

CK.104.7002

Bushing

CK.102.434

34x30x16, with oil groove

MERCEDES BENZ : 000 131 31 50
KNORR-BREMSE : B44935

Flange Cover

CK.124.7001

Iron Bearing Cover - Fit CK.119.000

CK.123.000

MERCEDES BENZ
004 131 03 01
003 131 59 01
KNORR-BREMSE
LK1802 - I80864

CK.124.000

MERCEDES BENZ
002 131 36 01
001 131 55 01
001 131 54 01
KNORR-BREMSE
LP1828 - I58889

VEHICLE APPLICATION

OM 355
OM 360



CK.123.000

CK.124.000

*** CK.123.000 - Version Aluminum Flange with Bushing Design
*** CK.124.000 - Version Iron Flange with Ball Bearing Design

Cylinder Bore	Ø88.00	Number of Cylinders	1	Water or Air Cooled	Air	Unloader Port Size	-
Stroke	37 mm	Air Inlet Port Size	M26x1,5	Through Drive	Pulley	Water Inlet Port Size	-
Swept Volume	225 cm ³	Air Delivery Port Size	M26x1,5	With ESS System	-	Water Delivery Port Size	-

Complete Cylinderhead

CK.119.1000



Cylinderhead

CK.119.1010



MERCEDES BENZ : 000 131 37 19
KNORR-BREMSE : I92542

Complete Valve Plate

CK.119.200



MERCEDES BENZ : 000 130 71 20 / 000 130 24 20
KNORR-BREMSE : I80398004 / II38714F004

Valve Plate


CK.119.2010



MERCEDES BENZ : 000 131 05 36

Repair Kit

CK.119.903



KNORR-BREMSE : STW63784

Repair Kit

CK.119.911





Piston & Ring

88.00 mm CK.116.350

88.25 mm CK.116.960

88.50 mm CK.116.970

KNORR-BREMSE : SEB22555

Piston

88.00 mm CK.116.351

88.25 mm CK.116.961

88.50 mm CK.116.971

Ring

88.00 mm CW.116.352

2.00+2.00+4.00

88.25 mm CW.116.962

88.50 mm CW.116.972

Crankcase

CK.124.4010

Connecting Rod

CK.102.501

Crankshaft

CK.130.601

***Fit Compressor CK.123.000 - Bushing Design

MERCEDES BENZ : 000 131 18 17
KNORR-BREMSE : B80110 / I60599

Cylinder Liner Set

CK.130.300

STD. Piston & Ring

KNORR-BREMSE : I80864/0061

Cylinder Liner

CK.130.3010

MERCEDES BENZ : 000 131 42 02
KNORR-BREMSE : C63059

Flange Cover

CK.104.7001

Aluminum Bushing Cover - Fit CK.123.000

11111

Rear Cover

CK.124.7002

11111

Crankshaft

CK.124.601

***Fit Compressor CK.124.000 - Bearing Design

MERCEDES BENZ : 000 131 23 16

Flange Cover

CK.124.7001

Iron Bearing Cover - Fit CK.124.000

11111

CK.130.000

MERCEDES BENZ
376 130 04 15
376 131 01 01
KNORR-BREMSE
LK38..
II36928

CK.138.000

MERCEDES BENZ
376 131 74 01
KNORR-BREMSE
LK3832
II37220

VEHICLE APPLICATION
OM 366 LA



CK.130.000




CK.138.000

Cylinder Bore	Ø88.00	Number of Cylinders	1	Water or Air Cooled	Air	Unloader Port Size	-
Stroke	37 mm	Air Inlet Port Size	M26x1,5	Through Drive	Pulley	Water Inlet Port Size	-
Swept Volume	225 cm³	Air Delivery Port Size	M26x1,5	With ESS System	-	Water Delivery Port Size	-

Complete Cylinderhead

CK.130.1000



KNORR-BREMSE : ZB4275 / I90153004 / I93078004

Cylinderhead


CK.130.1010



KNORR-BREMSE : STW63970

Complete Valve Plate

CK.130.200



KNORR-BREMSE : I880570061 / I38715F004


Valve Plate

CK.130.2010




Repair Kit

CK.130.903



Repair Kit

CK.130.904





Piston & Ring

88.00 mm CK.116.350

88.25 mm CK.116.960

88.50 mm CK.116.970



KNORR-BREMSE : SEB22555

Piston

88.00 mm CK.116.351

88.25 mm CK.116.961

88.50 mm CK.116.971



Ring

88.00 mm CW.116.352

2.00+2.00+4.00

88.25 mm CW.116.962

88.50 mm CW.116.972



Crankcase

CK.104.4010



Connecting Rod

CK.102.501



MERCEDES BENZ : 000 131 18 17
KNORR-BREMSE : B80110 / I60599

Crankshaft

CK.130.601



MERCEDES BENZ : 000 131 46 16

Cylinder Liner Set

CK.130.300

STD. Piston & Ring



KNORR-BREMSE : I80864/0061

Cylinder Liner

CK.130.3010



MERCEDES BENZ : 000 131 42 02
KNORR-BREMSE : C63059

Flange Cover

CK.104.7001

Aluminum Bushing Cover



Rear Cover

CK.104.7002



Bushing

CK.102.434

34x30x16, with oil groove



MERCEDES BENZ : 000 131 31 50
KNORR-BREMSE : B44935

Crankcase

CK.138.4010



MERCEDES BENZ : 000 130 00 10
KNORR-BREMSE : I76691

CK.140.000

MERCEDES BENZ
004 131 94 01
004 131 77 01
004 131 74 01

KNORR-BREMSE
LK1813 - II14570

CK.176.000

MERCEDES BENZ
004 131 95 01

KNORR-BREMSE
LK1814 - II18356

VEHICLE APPLICATION


2521
OM 355
OM 362
OM 364
OM 366



Cylinder Bore	Ø88.00	Number of Cylinders	1	Water or Air Cooled	Air	Unloader Port Size	-
Stroke	37 mm	Air Inlet Port Size	M26x1,5	Through Drive	Pulley	Water Inlet Port Size	-
Swept Volume	225 cm ³	Air Delivery Port Size	M26x1,5	With ESS System	-	Water Delivery Port Size	-

Complete Cylinderhead

CK.140.1000



MERCEDES BENZ : 000 130 73 20

Cylinderhead

CK.140.1010



MERCEDES BENZ : 000 131 45 19

Complete Valve Plate

CK.119.200



MERCEDES BENZ : 000 130 71 20 / 000 130 24 20
KNORR-BREMSE : I80398004 / II38714F004

Valve Plate


CK.119.2010



MERCEDES BENZ : 000 131 05 36

Repair Kit

CK.119.903



KNORR-BREMSE : STW63784

Repair Kit

CK.140.904





Piston & Ring

88.00 mm CK.116.350

88.25 mm CK.116.960

88.50 mm CK.116.970

KNORR-BREMSE : SEB22555

Piston

88.00 mm CK.116.351

88.25 mm CK.116.961

88.50 mm CK.116.971

Ring

88.00 mm CW.116.352

2.00+2.00+4.00

88.25 mm CW.116.962

88.50 mm CW.116.972

Crankcase

CK.140.4010

Connecting Rod

CK.102.501

MERCEDES BENZ : 000 131 18 17
KNORR-BREMSE : B80110 / I60599

Crankshaft

CK.140.601

MERCEDES BENZ : 000 131 59 16 / 000 131 60 16

Cylinder Liner Set

CK.140.300

STD. Piston & Ring

KNORR-BREMSE : I80864/0061

Cylinder Liner

CK.140.3010

MERCEDES BENZ : 000 131 42 02
KNORR-BREMSE : C63059

Flange Cover

CK.140.7002

Aluminum Cover

Repair Kit

CK.119.905

Repair Kit

CK.119.911

MERCEDES BENZ : 000 130 73 20
KNORR-BREMSE : I810890051

Bushing

CK.102.434

34x30x20, with oil groove

MERCEDES BENZ : 000 131 38 50

CK.167.000

MERCEDES BENZ
004 131 05 01
KNORR-BREMSE
LK1527 - I88770

CK.200.000

MERCEDES BENZ
004 131 05 01
KNORR-BREMSE
LK1527 - I88770

VEHICLE APPLICATION

2517
OM 360 A / OM 366 LA
OM 355 / OM 362



CK.167.000




CK.200.000

*** Version Iron Crankcase & Iron Flange with Ball Bearing Design

Cylinder Bore	Ø75.00	Number of Cylinders	1	Water or Air Cooled	Air	Unloader Port Size	-
Stroke	35 mm	Air Inlet Port Size	M26x1,5	Through Drive	Pulley	Water Inlet Port Size	-
Swept Volume	150 cm ³	Air Delivery Port Size	M26x1,5	With ESS System	-	Water Delivery Port Size	-

Complete Cylinderhead

CK.104.1000



KNORR-BREMSE : STW63841

Cylinderhead


CK.104.1010



MERCEDES BENZ : 000 131 27 19
KNORR-BREMSE : II38602F/004

Complete Valve Plate

CK.104.200



MERCEDES BENZ : 000 130 49 20
KNORR-BREMSE : II38717F/004 - I80408/004

Valve Plate


CK.104.2010



KNORR-BREMSE : SEB00460/004

Repair Kit


CK.104.903



KNORR-BREMSE : SEB22161

Repair Kit

CK.104.904





Piston & Ring

75.00 mm CK.174.350

75.25 mm CK.174.960

75.50 mm CK.174.970

Piston

75.00 mm CK.174.351

75.25 mm CK.174.961

75.50 mm CK.174.971

Ring

75.00 mm CK.102.352

2.50+2.50+2.50+4.00

75.25 mm CK.102.962

75.50 mm CK.102.972

Crankcase

CK.167.4010

Connecting Rod

CK.102.501

Crankshaft

CK.166.601

Cylinder Liner Set

CK.167.300

STD. Piston & Ring

Cylinder Liner

CK.101.3010

Flange Cover

CK.167.7001

Aluminum Cover - Fit CK.167.000

Flange Cover

CK.124.7001

Iron Cover - Fit CK.200.000

Repair Kit

CK.104.912

Reed Valve Kit

CK.104.906

CK.168.000

MERCEDES BENZ
376 130 04 15
376 131 01 01
KNORR-BREMSE
LK38.. - II36928

CK.169.000

MERCEDES BENZ
376 130 04 15
376 131 01 01
KNORR-BREMSE
LK38.. - II36928

CK.201.000

MERCEDES BENZ
376 130 04 15
376 131 01 01
KNORR-BREMSE
LK38.. - II36928

VEHICLE APPLICATION
OM 366 LA



CK.168.000



CK.169.000



CK.201.000

Cylinder Bore	Ø88.00	Number of Cylinders	1	Water or Air Cooled	Air	Unloader Port Size	-
Stroke	37 mm	Air Inlet Port Size	M26x1,5	Through Drive	Pulley	Water Inlet Port Size	-
Swept Volume	225 cm ³	Air Delivery Port Size	M26x1,5	With ESS System	-	Water Delivery Port Size	-

Complete Cylinderhead

CK.130.1000



KNORR-BREMSE : ZB4275 / I90153004 / I93078004

Cylinderhead

CK.130.1010



KNORR-BREMSE : STW63970

Complete Valve Plate

CK.130.200



KNORR-BREMSE : I880570061 / I38715F004


Valve Plate

CK.130.2010




Repair Kit

CK.130.903



Repair Kit

CK.130.904





Piston & Ring

88.00 mm CK.116.350

88.25 mm CK.116.960

88.50 mm CK.116.970

KNORR-BREMSE : SEB22555

Piston

88.00 mm CK.116.351

88.25 mm CK.116.961

88.50 mm CK.116.971

KNORR-BREMSE : SEB22555

Ring

2.00+2.00+4.00

88.00 mm CW.116.352

88.25 mm CW.116.962

88.50 mm CW.116.972

KNORR-BREMSE : SEB22555

Crankcase

CK.104.4010

KNORR-BREMSE : SEB22555

Connecting Rod

CK.102.501

MERCEDES BENZ : 000 131 18 17
KNORR-BREMSE : B80110 / I60599

Crankshaft

CK.119.601

MERCEDES BENZ : 000 131 23 16

Cylinder Liner Set

CK.130.300

STD. Piston & Ring

KNORR-BREMSE : I80864/0061

Cylinder Liner

CK.130.3010

MERCEDES BENZ : 000 131 42 02
KNORR-BREMSE : C63059

Flange Cover

CK.124.7001

Iron Bearing Cover - Fit CK.168.000 & CK.201.000

MERCEDES BENZ : 000 131 07 32
KNORR-BREMSE : I86897-B

Flange Cover

CK.167.7001

Aluminum Cover - Fit CK.169.000

KNORR-BREMSE : I86897-B

Bushing

CK.102.434

34x30x16, with oil groove

MERCEDES BENZ : 000 131 31 50
KNORR-BREMSE : B44935

Crankcase

CK.167.4010

KNORR-BREMSE : I86897-B

CK.197.000

**Cylinderhead with Iron Valve Plate

CK.267.000

**Cylinderhead with Aluminum Valve Plate

VEHICLE APPLICATION

OM 501 V6 ENGINE
OM 502 V6 ENGINE



Cylinder Bore	Ø100.00	Number of Cylinders	1	Water or Air Cooled	Water	Unloader Port Size	M12x1
Stroke	48 mm	Air Inlet Port Size	Ø35	Through Drive	Gear	Water Inlet Port Size	M14x1,5
Swept Volume	377 cm ³	Air Delivery Port Size	M26x1,5	With ESS System	-	Water Delivery Port Size	M14x1,5

Complete Cylinderhead **CK.197.1000**


Cylinderhead with Iron Valve Plate



MERCEDES BENZ : 541 130 22 19 / 541 130 27 19
KNORR BREMSE : ZB4289

Complete Valve Plate **CK.197.200**

Iron Valve Plate



MERCEDES BENZ : 541 130 08 20
KNORR BREMSE : II38147F0064

Valve Plate **CK.197.2010**

Iron Valve Plate



MERCEDES BENZ : 541 130 09 20

Complete Cylinderhead **CK.267.1000**


Cylinderhead with Aluminum Valve Plate



MERCEDES BENZ : 541 130 22 19 / 541 130 27 19
KNORR BREMSE : ZB4289

Complete Valve Plate **CK.267.200**

Aluminum Valve Plate



MERCEDES BENZ : 541 130 08 20
KNORR BREMSE : II38147F0064

Valve Plate **CK.267.2010**

Aluminum Valve Plate



MERCEDES BENZ : 541 130 09 20



MERCEDES BENZ OM 501 & 502 V6

MERCEDES BENZ

CK.197.000 / CK.267.000

Piston & Ring

100.00 mm CMB.101.350

2.50+2.50+4.00

100.25 mm CMB.101.960

100.50 mm CMB.101.970



Piston

100.00 mm CMB.101.351

100.25 mm CMB.101.961

100.50 mm CMB.101.971



Ring

100.00 mm CMB.101.352

2.50+2.50+4.00

100.25 mm CMB.101.962

100.50 mm CMB.101.972



Cylinderhead

CK.197.1010



MERCEDES BENZ : 541 130 18 19

Connecting Rod

CMB.101.501



MERCEDES BENZ : 442 131 00 17 / 442 131 02 17
541 131 01 17

Crankshaft

CMB.101.601



MERCEDES BENZ : 442 130 03 14 / 541 130 02 14

Cylinder Liner Set

CK.197.300

STD. Piston & Ring



MERCEDES BENZ : 541 131 02 08

Cylinder Liner

CK.197.3010



Gear


CMB.131.606



MERCEDES BENZ : 442 130 03 30 / 541 130 02 30 / 541 130 06 30


Repair Kit

CK.197.903



Repair Kit

CK.197.911



Unloader Valve Kit

CK.197.921



MERCEDES BENZ : 541 130 77 15
KNORR BREMSE : II38147F0061

CMB.101.000

MERCEDES BENZ
447 130 33 15
447 130 20 15

CMB.123.000

MERCEDES BENZ
447 130 30 15
447 130 22 15

VEHICLE APPLICATION
OM 447 HLA



CMB.101.000



CMB.123.000

Cylinder Bore	Ø100.00	Number of Cylinders	1	Water or Air Cooled	Water	Unloader Port Size	-
Stroke	48 mm	Air Inlet Port Size	M26x1,5	Through Drive	Gear	Water Inlet Port Size	M14x1,5
Swept Volume	377 cm ³	Air Delivery Port Size	M26x1,5	With ESS System	-	Water Delivery Port Size	M14x1,5

Complete Cylinderhead

CMB.101.1000



MERCEDES BENZ : 442 130 34 19

Cylinderhead

CMB.101.1010



MERCEDES BENZ : 442 130 32 19

Complete Valve Plate

CMB.101.200



MERCEDES BENZ : 441 130 00 20 / 441 130 01 20 / 441 130 02 20

Valve Plate


CMB.101.2010



MERCEDES BENZ : 442 130 06 20


Repair Kit

CMB.101.903



Repair Kit

CMB.101.904





Piston & Ring

100.00 mm CMB.101.350

2.50+2.50+4.00

100.25 mm CMB.101.960

100.50 mm CMB.101.970



Piston

100.00 mm CMB.101.351

100.25 mm CMB.101.961

100.50 mm CMB.101.971



Ring

100.00 mm CMB.101.352

2.50+2.50+4.00

100.25 mm CMB.101.962

100.50 mm CMB.101.972



Crankcase

CMB.101.4010



MERCEDES BENZ : 447 131 03 15 / 447 131 03 30

Connecting Rod

CMB.101.501



MERCEDES BENZ : 442 131 00 17 / 442 131 02 17
541 131 01 17

Crankshaft

CMB.101.601



MERCEDES BENZ : 442 130 03 14 / 541 130 02 14

Cylinder Liner Set

CMB.101.300

STD. Piston & Ring



MERCEDES BENZ : 441 130 00 08

Cylinder Liner

CMB.101.3010



MERCEDES BENZ : 442 131 01 20 / 442 131 01 02

Gear

CMB.101.606

Top View



Bottom View

MERCEDES BENZ : 407 132 10 05 / 407 132 11 05 / 447 132 02 05

Repair Kit

CMB.101.911



Rear Cover

CMB.101.7002

Iron Rear Cover



MERCEDES BENZ : 442 131 13 42

Crankshaft Nut

CMB.101.603

M18x1.5x30



MERCEDES BENZ : 403 990 06 10

CMB.102.000

MERCEDES BENZ
475 130 01 15
447 130 18 15

CMB.107.000

MERCEDES BENZ
447 130 05 15

VEHICLE APPLICATION

OM 402
OM 403
OM 407



CMB.102.000




CMB.107.000

Cylinder Bore	Ø90.00	Number of Cylinders	1	Water or Air Cooled	Water	Unloader Port Size	-
Stroke	46 mm	Air Inlet Port Size	M26x1,5	Through Drive	Gear	Water Inlet Port Size	M22x1,5
Swept Volume	292 cm ³	Air Delivery Port Size	M26x1,5	With ESS System	-	Water Delivery Port Size	M22x1,5

Complete Cylinderhead

CMB.102.1000



MERCEDES BENZ : 000 130 41 19
WABCO : 411 033 806 2 / 411 033 801 2

Cylinderhead

CMB.102.1010

Top View




Bottom View

WABCO : 411 033 653 2

Complete Valve Plate

CMB.102.200



MERCEDES BENZ : 000 130 76 20
WABCO : 411 033 505 2 / 411 033 503 2


Valve Plate

CMB.102.2010



Repair Kit


CMB.102.903




Repair Kit

CMB.102.910





Piston & Ring 2.50+2.50+4.00  90.00 mm CMB.102.350 90.25 mm CMB.102.960 90.50 mm CMB.102.970	Piston  90.00 mm CMB.102.351 90.25 mm CMB.102.961 90.50 mm CMB.102.971	Ring 2.50+2.50+4.00  90.00 mm CW.101.352 90.25 mm CW.101.962 90.50 mm CW.101.972
Crankcase  MERCEDES BENZ : 407 130 06 10	Connecting Rod  MERCEDES BENZ : 442 131 00 17 / 442 131 02 17 541 131 01 17	Crankshaft  MERCEDES BENZ : 442 130 03 14 / 541 130 02 14
Cylinder Liner Set STD. Piston & Ring - 2.50+2.50+4.00 - Air Cooled  MERCEDES BENZ : 442 130 00 08 / 403 130 00 08 MAHLE : 004 15 92	Cylinder Liner  MERCEDES BENZ : 442 131 01 20 / 442 131 01 02	Gear  MERCEDES BENZ : 407 132 10 05 / 407 132 11 05 / 447 132 02 05
Bushing 34x30x20.5  MERCEDES BENZ : 403 131 04 50	Rear Cover Iron Rear Cover  MERCEDES BENZ : 403 130 16 45	Crankshaft Nut M18x1.5x30  MERCEDES BENZ : 403 990 06 10

CMB.103.000

MERCEDES BENZ
407 130 01 15

CMB.104.000

MERCEDES BENZ
407 130 00 15
470 130 05 15

VEHICLE APPLICATION
OM 402
OM 403
OM 407




CMB.103.000



CMB.104.000

Cylinder Bore	Ø90.00	Number of Cylinders	1	Water or Air Cooled	Water	Unloader Port Size	-
Stroke	46 mm	Air Inlet Port Size	M26x1,5	Through Drive	Gear	Water Inlet Port Size	M22x1,5
Swept Volume	292 cm ³	Air Delivery Port Size	M26x1,5	With ESS System	-	Water Delivery Port Size	M22x1,5

Complete Cylinderhead **CMB.102.1000**




MERCEDES BENZ : 000 130 41 19
WABCO : 411 033 806 2 / 411 033 801 2

Cylinderhead **CMB.102.1010**



WABCO : 411 033 653 2

Complete Valve Plate **CMB.102.200**




MERCEDES BENZ : 000 130 76 20
WABCO : 411 033 505 2 / 411 033 503 2

Valve Plate **CMB.102.2010**




Repair Kit **CMB.102.903**



Repair Kit **CMB.102.910**





Piston & Ring

90.00 mm CMB.102.350

2.50+2.50+4.00

90.25 mm CMB.102.960

90.50 mm CMB.102.970



Piston

90.00 mm CMB.102.351

90.25 mm CMB.102.961

90.50 mm CMB.102.971




Ring

90.00 mm CW.101.352

2.50+2.50+4.00

90.25 mm CW.101.962

90.50 mm CW.101.972



Crankcase

CMB.102.4010



MERCEDES BENZ : 407 130 06 10

Connecting Rod

CMB.102.500



MERCEDES BENZ : 442 131 00 17 / 442 131 02 17
541 131 01 17

Crankshaft

CMB.102.601



MERCEDES BENZ : 442 130 03 14 / 541 130 02 14

Cylinder Liner Set

CMB.103.300

STD. Piston & Ring - 2.50+2.50+4.00 - Water Cooled



MERCEDES BENZ : 402 130 06 08 / 427 130 00 08 / 402 130 03 08
MAHLE : 004 15 90

Cylinder Liner

CMB.103.3010



MERCEDES BENZ : 402 130 03 08
KNORR BREMSE : STW63740

Gear

CMB.102.606



MERCEDES BENZ : 407 132 10 05 / 407 132 11 05 / 447 132 02 05

Bushing

CMB.102.727

34x30x20.5



MERCEDES BENZ : 403 131 04 50

Rear Cover

CMB.102.7002

Iron Rear Cover



MERCEDES BENZ : 403 130 16 45

Crankshaft Nut

CMB.101.603

M18x1.5x30



MERCEDES BENZ : 403 990 06 10

CMB.106.000

MERCEDES BENZ
470 130 01 15

CMB.108.000

MERCEDES BENZ
407 130 05 15
407 130 06 15
407 130 17 15

VEHICLE APPLICATION
MB 407



CMB.106.000




CMB.108.000

***Important Notice: The Above Air Compressors are with 3-ring Pistons inside

Cylinder Bore	Ø90.00	Number of Cylinders	1	Water or Air Cooled	Water	Unloader Port Size	-
Stroke	46 mm	Air Inlet Port Size	M26x1,5	Through Drive	Gear	Water Inlet Port Size	M22x1,5
Swept Volume	292 cm ³	Air Delivery Port Size	M26x1,5	With ESS System	-	Water Delivery Port Size	M22x1,5


Complete Cylinderhead **CMB.106.1000**



MERCEDES BENZ : 000 130 24 19 / 000 130 25 19 / 000 130 26 19
KNORR BREMSE : ZB4187 / ZB4224 / ZB4229

Cylinderhead **CMB.106.1010**


Top View



Bottom View

MERCEDES BENZ : 407 131 05 19

Complete Valve Plate **CMB.106.200**




MERCEDES BENZ : 402 130 01 20 / 402 130 03 20

Valve Plate **CMB.106.2010**



MERCEDES BENZ : 000 130 32 20 / 000 130 50 20

Repair Kit **CMB.106.903**



Repair Kit **CMB.106.910**





Piston & Ring

90.00 mm CMB.106.350

2.50+2.50+2.50+4.00

90.25 mm CMB.106.960

90.50 mm CMB.106.970

Piston

90.00 mm CMB.106.351

90.25 mm CMB.106.961

90.50 mm CMB.106.971

Ring

90.00 mm CW.106.352

2.50+2.50+2.50+4.00

90.25 mm CW.106.962

90.50 mm CW.106.972

Crankcase

CMB.102.4010

Connecting Rod

CMB.102.500

Crankshaft

CMB.102.601

Cylinder Liner Set

CMB.106.300

STD. Piston & Ring - 2.50+2.50+2.50+4.00 - Air Cooled

Cylinder Liner Set

CMB.108.300

STD. Piston & Ring - 2.50+2.50+2.50+4.00 - Water Cooled

Gear

CMB.102.606

Top View

Bottom View

Bushing

CMB.102.727

34x30x20.5

Rear Cover

CMB.102.7002

Iron Rear Cover

Crankshaft Nut

CMB.101.603

M18x1.5x30

CMB.111.000

MERCEDES BENZ
407 130 01 15
496 130 01 15

CMB.113.000

MERCEDES BENZ
407 130 05 15
407 130 17 15
496 130 02 15
496 130 00 15

VEHICLE APPLICATION

OM 402
OM 403
OM 407
MB 407



CMB.111.000



CMB.113.000

Cylinder Bore	Ø90.00	Number of Cylinders	1	Water or Air Cooled	Water	Unloader Port Size	-
Stroke	46 mm	Air Inlet Port Size	M26x1,5	Through Drive	Gear	Water Inlet Port Size	M22x1,5
Swept Volume	292 cm ³	Air Delivery Port Size	M26x1,5	With ESS System	-	Water Delivery Port Size	M22x1,5

Complete Cylinderhead

CMB.111.1000



MERCEDES BENZ : 447 130 00 19

Cylinderhead

CMB.111.1010

Top View




Bottom View

MERCEDES BENZ : 407 130 05 19 / 407 130 02 19

Complete Valve Plate

CMB.111.200



MERCEDES BENZ : 442 130 07 20

Valve Plate


CMB.111.2010



MERCEDES BENZ : 447 130 00 20

Repair Kit

CMB.111.903



Repair Kit

CMB.111.910





Piston & Ring

90.00 mm CMB.102.350

2.50+2.50+4.00

90.25 mm CMB.102.960

90.50 mm CMB.102.970



Piston

90.00 mm CMB.102.351

90.25 mm CMB.102.961

90.50 mm CMB.102.971




Ring

90.00 mm CW.101.352

2.50+2.50+4.00

90.25 mm CW.101.962

90.50 mm CW.101.972



Crankcase

CMB.102.4010



MERCEDES BENZ : 407 130 06 10

Connecting Rod

CMB.102.500



MERCEDES BENZ : 442 131 00 17 / 442 131 02 17
541 131 01 17

Crankshaft

CMB.102.601



MERCEDES BENZ : 442 130 03 14 / 541 130 02 14

Cylinder Liner Set

CMB.102.300

STD. Piston & Ring - 2.50+2.50+4.00 - Air Cooled



MERCEDES BENZ : 442 130 00 08 / 403 130 00 08
MAHLE : 004 15 92

Cylinder Liner Set

CMB.103.300

STD. Piston & Ring - 2.50+2.50+4.00 - Water Cooled



MERCEDES BENZ : 402 130 06 08 / 427 130 00 08 / 402 130 03 08
MAHLE : 004 15 90

Gear

CMB.102.606



MERCEDES BENZ : 407 132 10 05 / 407 132 11 05 / 447 132 02 05

Bushing

CMB.102.727

34x30x20.5



MERCEDES BENZ : 403 131 04 50

Rear Cover

CMB.102.7002

Iron Rear Cover



MERCEDES BENZ : 403 130 01 45 / 442 130 01 45 / 442 130 04 45

Crankshaft Nut

CMB.101.603

M18x1.5x30



MERCEDES BENZ : 403 990 06 10

CMB.112.000

MERCEDES BENZ
496 130 01 15

CMB.114.000

MERCEDES BENZ
407 130 05 15
407 130 17 15
496 130 02 15
496 130 00 15

VEHICLE APPLICATION
OM 402
OM 403
OM 407
MB 407



CMB.112.000




CMB.114.000

Cylinder Bore	Ø90.00	Number of Cylinders	1	Water or Air Cooled	Water	Unloader Port Size	-
Stroke	46 mm	Air Inlet Port Size	M26x1,5	Through Drive	Gear	Water Inlet Port Size	M22x1,5
Swept Volume	292 cm³	Air Delivery Port Size	M26x1,5	With ESS System	-	Water Delivery Port Size	M22x1,5

Complete Cylinderhead

CMB.112.1000




MERCEDES BENZ : 447 130 00 19

Cylinderhead

CMB.111.1010

Top View




Bottom View

MERCEDES BENZ : 407 130 05 19 / 407 130 02 19

Complete Valve Plate

CMB.112.200



MERCEDES BENZ : 442 130 02 20


Valve Plate

CMB.112.2010




Repair Kit

CMB.112.903



Repair Kit

CMB.112.910





Piston & Ring

90.00 mm CMB.102.350

2.50+2.50+4.00

90.25 mm CMB.102.960

90.50 mm CMB.102.970



Piston

90.00 mm CMB.102.351

90.25 mm CMB.102.961

90.50 mm CMB.102.971




Ring

90.00 mm CW.101.352

2.50+2.50+4.00

90.25 mm CW.101.962

90.50 mm CW.101.972



Crankcase

CMB.102.4010



MERCEDES BENZ : 407 130 06 10

Connecting Rod

CMB.102.500



MERCEDES BENZ : 442 131 00 17 / 442 131 02 17
541 131 01 17

Crankshaft

CMB.102.601



MERCEDES BENZ : 442 130 03 14 / 541 130 02 14

Cylinder Liner Set

CMB.102.300

STD. Piston & Ring - 2.50+2.50+4.00 - Air Cooled



MERCEDES BENZ : 442 130 00 08 / 403 130 00 08
MAHLE : 004 15 92

Cylinder Liner Set

CMB.103.300

STD. Piston & Ring - 2.50+2.50+4.00 - Water Cooled



MERCEDES BENZ : 402 130 06 08 / 427 130 00 08 / 402 130 03 08
MAHLE : 004 15 90

Gear

CMB.102.606



MERCEDES BENZ : 407 132 10 05 / 407 132 11 05 / 447 132 02 05

Bushing

CMB.102.727

34x30x20.5



MERCEDES BENZ : 403 131 04 50

Rear Cover

CMB.102.7002

Iron Rear Cover



MERCEDES BENZ : 403 130 16 45 / 442 130 01 45 / 442 130 04 45

Crankshaft Nut

CMB.101.603

M18x1.5x30



MERCEDES BENZ : 403 990 06 10

CMB.117.000

MERCEDES BENZ
407 130 01 15

CMB.118.000

MERCEDES BENZ
407 130 05 15

VEHICLE APPLICATION

OM 402
OM 403
OM 407
ADE



CMB.117.000




CMB.118.000

Cylinder Bore	Ø90.00	Number of Cylinders	1	Water or Air Cooled	Water	Unloader Port Size	-
Stroke	46 mm	Air Inlet Port Size	M26x1,5	Through Drive	Gear	Water Inlet Port Size	M22x1,5
Swept Volume	292 cm³	Air Delivery Port Size	M26x1,5	With ESS System	-	Water Delivery Port Size	M22x1,5

Complete Cylinderhead

CMB.102.1000



MERCEDES BENZ : 000 130 41 19
WABCO : 411 033 806 2 / 411 033 801 2

Cylinderhead


CMB.102.1010



WABCO : 411 033 653 2

Complete Valve Plate

CMB.102.200



MERCEDES BENZ : 000 130 76 20
WABCO : 411 033 505 2 / 411 033 503 2


Valve Plate

CMB.102.2010



Repair Kit


CMB.102.903



Repair Kit

CMB.102.910





Piston & Ring

90.00 mm CMB.102.350

2.50+2.50+4.00

90.25 mm CMB.102.960

90.50 mm CMB.102.970

Piston

90.00 mm CMB.102.351

90.25 mm CMB.102.961

90.50 mm CMB.102.971

Ring

90.00 mm CW.101.352

2.50+2.50+4.00

90.25 mm CW.101.962

90.50 mm CW.101.972

Crankcase

CMB.102.4010

MERCEDES BENZ : 407 130 06 10

Connecting Rod

CMB.102.500

MERCEDES BENZ : 442 131 00 17 / 442 131 02 17
541 131 01 17

Crankshaft

CMB.102.601

MERCEDES BENZ : 442 130 03 14 / 541 130 02 14

Cylinder Liner Set

CMB.102.300

STD. Piston & Ring - 2.50+2.50+4.00 - Air Cooled

MERCEDES BENZ : 442 130 00 08 / 403 130 00 08
MAHLE : 004 15 92

Cylinder Liner Set

CMB.103.300

STD. Piston & Ring - 2.50+2.50+4.00 - Water Cooled

MERCEDES BENZ : 402 130 06 08 / 427 130 00 08 / 402 130 03 08
MAHLE : 004 15 90

Gear

CMB.102.606

Top View

Bottom View

MERCEDES BENZ : 407 132 10 05 / 407 132 11 05 / 447 132 02 05

Bushing

CMB.102.727

34x30x20.5

MERCEDES BENZ : 403 131 04 50

Rear Cover

CMB.102.7002

Iron Rear Cover

MERCEDES BENZ : 403 130 16 45 / 442 130 01 45 / 442 130 04 45

Crankshaft Nut

CMB.101.603

M18x1.5x30

MERCEDES BENZ : 403 990 06 10

CMB.121.000

**Horizontal Cylinderhead

CMB.122.000

**Vertical Cylinderhead

VEHICLE APPLICATION
OM 501 V6 ENGINE
OM 502 V6 ENGINE



CMB.121.000



CMB.122.000

Cylinder Bore	Ø100.00	Number of Cylinders	1	Water or Air Cooled	Water	Unloader Port Size	-
Stroke	48 mm	Air Inlet Port Size	Ø35	Through Drive	Gear	Water Inlet Port Size	M14x1,5
Swept Volume	377 cm ³	Air Delivery Port Size	M26x1,5	With ESS System	-	Water Delivery Port Size	M14x1,5

Complete Cylinderhead

CMB.121.1000

Horizontal Cylinderhead




MERCEDES BENZ : 541 131 10 19

Cylinderhead

CMB.121.1010


Horizontal Cylinderhead



MERCEDES BENZ : 541 131 12 19 / 541 131 09 19

Complete Valve Plate

CMB.121.200



MERCEDES BENZ : 541 130 06 20

Complete Cylinderhead

CMB.122.1000

Vertical Cylinderhead




MERCEDES BENZ : 541 130 07 19

Cylinderhead

CMB.122.1010

Vertical Cylinderhead




MERCEDES BENZ : 541 131 06 19 / 541 131 11 19

Valve Plate

CMB.121.2010



MERCEDES BENZ : 541 131 01 31



Piston & Ring

100.00 mm CMB.101.350

2.50+2.50+4.00

100.25 mm CMB.101.960

100.50 mm CMB.101.970

Piston

100.00 mm CMB.101.351

100.25 mm CMB.101.961

100.50 mm CMB.101.971

Ring

100.00 mm CMB.101.352

2.50+2.50+4.00

100.25 mm CMB.101.962

100.50 mm CMB.101.972

Screw Kit

CMB.121.909

Connecting Rod

CMB.101.501

Crankshaft

CMB.101.601

Cylinder Liner Set

CMB.121.300

STD. Piston & Ring

Cylinder Liner

CMB.121.3010

Gear

CMB.131.606

Repair Kit

CMB.121.903

Repair Kit

CMB.121.910

Repair Kit

CMB.121.911

CMB.133.000

MERCEDES BENZ
475 130 01 15

VEHICLE APPLICATION


OM 402
OM 403
OM 407
BR 400



Cylinder Bore	Ø90.00	Number of Cylinders	1	Water or Air Cooled	Water	Unloader Port Size	-
Stroke	46 mm	Air Inlet Port Size	M26x1,5	Through Drive	Gear	Water Inlet Port Size	M22x1,5
Swept Volume	292 cm ³	Air Delivery Port Size	M26x1,5	With ESS System	-	Water Delivery Port Size	M22x1,5

Complete Cylinderhead

CMB.112.100



MERCEDES BENZ : 447 130 00 19

Cylinderhead


CMB.111.1010



MERCEDES BENZ : 407 130 05 19 / 407 130 02 19

Complete Valve Plate

CMB.112.200



MERCEDES BENZ : 442 130 02 20


Valve Plate

CMB.112.2010




Repair Kit

CMB.112.903



Repair Kit

CMB.112.910





Piston & Ring 90.00 mm CMB.102.350 2.50+2.50+4.00 90.25 mm CMB.102.960 90.50 mm CMB.102.970	Piston 90.00 mm CMB.102.351 90.25 mm CMB.102.961 90.50 mm CMB.102.971	Ring 90.00 mm CW.101.352 2.50+2.50+4.00 90.25 mm CW.101.962 90.50 mm CW.101.972
Crankcase CMB.101.4010 MERCEDES BENZ : 4471310315 / 4471310330	Connecting Rod CMB.102.500 MERCEDES BENZ : 442 131 00 17 / 442 131 02 17 541 131 01 17	Crankshaft CMB.102.601 MERCEDES BENZ : 442 130 03 14 / 541 130 02 14
Cylinder Liner Set CMB.102.300 STD. Piston & Ring - 2.50+2.50+4.00 - Air Cooled MERCEDES BENZ : 442 130 00 08 / 403 130 00 08 MAHLE : 004 15 92	Cylinder Liner CMB.102.3010 MERCEDES BENZ : 442 131 01 20 / 442 131 01 02	Gear CMB.102.606 Top View Bottom View MERCEDES BENZ : 407 132 10 05 / 407 132 11 05 / 447 132 02 05
Bushing CMB.102.727 34x30x20.5 MERCEDES BENZ : 403 131 04 50	Rear Cover CMB.102.7002 Iron Rear Cover MERCEDES BENZ : 403 130 01 45 / 442 130 01 45 / 442 130 04 45	Crankshaft Nut CMB.101.603 M18x1.5x30 MERCEDES BENZ : 403 990 06 10

CW.101.000


MERCEDES BENZ
001 131 52 01

WABCO
411 034 501 0

VEHICLE APPLICATION
OM 355
OM 360 A



Cylinder Bore	Ø90.00	Number of Cylinders	1	Water or Air Cooled	Air	Unloader Port Size	-
Stroke	36 mm	Air Inlet Port Size	M26x1,5	Through Drive	Pulley	Water Inlet Port Size	-
Swept Volume	229cm ³	Air Delivery Port Size	M26x1,5	With ESS System	-	Water Delivery Port Size	-

Complete Cylinderhead	CW.101.1000	Cylinderhead	CW.101.1010	Valve Plate	CW.101.200
		Top View  Bottom View			
		MERCEDES BENZ : 000 130 31 19 / 000 131 21 15 WABCO : 411 034 652 2		MERCEDES BENZ : 000 130 13 20 WABCO : 411 034 500 2	
Valve Plate	CW.101.2010	Repair Kit	CW.101.903	Repair Kit	CW.101.911
					
		WABCO : 411 034 005 2		MERCEDES BENZ : 000 586 27 13 WABCO : 411 034 001 2	

All original manufacturer part numbers, models and marks used in this catalogue are for informative purpose only.



Piston & Ring

90.00 mm CW.101.350

90.25 mm CW.101.960

90.50 mm CW.101.970

MERCEDES BENZ : 000 130 11 17
WABCO : 411 042 620 2

Piston

90.00 mm CW.101.351

90.25 mm CW.101.961

90.50 mm CW.101.971

Ring

90.00 mm CW.101.352

2.50+2.50+4.00

90.25 mm CW.101.962

90.50 mm CW.101.972

MERCEDES BENZ : 000 131 02 11
MAHLE : 004 15 N0 / STD 90 mm

Crankcase

CW.101.4010

MERCEDES BENZ : 000 130 21 15

Connecting Rod

CW.101.501

WBS Modified Forging Connecting Rod
- without Con Rod Bearing

MERCEDES BENZ : 000 131 19 16 / 000 131 24 16
WABCO : 411 042 733 2

Crankshaft

CW.101.601

MERCEDES BENZ : 000 131 19 16
WABCO : 411 042 690 4

Cylinder Liner Set

CW.101.300

STD. Piston & Ring

MERCEDES BENZ : 000 130 02 08 / 000 131 45 60

Cylinder Liner

CW.101.3010

MERCEDES BENZ : 000 131 28 02 / 001 131 36 02
WABCO : 411 034 570 4

Flange Cover

CW.101.7001

Bushing

CW.101.434

MERCEDES BENZ : 000 131 21 50
WABCO : 411 042 340 4

Ball Bearing

CW.101.413

Reed Valve Kit

CW.101.906

CW.111.000

MERCEDES BENZ
906 130 06 15

WABCO
411 151 000 0
884 503 437 0

VEHICLE APPLICATION


AXOR
ATEGO
OM 904 LA
OM 906 LA
OM 924 LA



Cylinder Bore	Ø85.00	Number of Cylinders	1	Water or Air Cooled	Water	Unloader Port Size	-
Stroke	42 mm	Air Inlet Port Size	M26x1,5	Through Drive	Gear	Water Inlet Port Size	M14x1,5
Swept Volume	238 cm ³	Air Delivery Port Size	M26x1,5	With ESS System	-	Water Delivery Port Size	M14x1,5

Complete Cylinderhead

CW.116.1000



MERCEDES BENZ : 000 131 49 19
WABCO : 411 151 800 2 / 411 151 801 2

Cylinder Up Head

CW.116.1020



MERCEDES BENZ : 000 131 22 21
WABCO : 411 151 654 4

Cylinder Bottom Head


CW.116.1040



MERCEDES BENZ : 000 131 08 09 / 000 131 09 09
WABCO : 411 151 652 2


Full Repair Kit

CW.116.901



Repair Kit

CW.116.903



Repair Kit

CW.116.904





Piston & Ring

85.00 mm CW.109.350

85.25 mm CW.109.960

85.50 mm CW.109.970



MERCEDES BENZ : 000 130 34 17 / 000 130 53 17
WABCO : 911 501 624 2 / 911 501 625 2

Piston

85.00 mm CW.109.351

85.25 mm CW.109.961

85.50 mm CW.109.971



Connecting Rod

CW.123.501

MERCEDES BENZ : 000 131 25 17
WABCO : 911 145 738 2


Ring

85.00 mm CW.109.352

2.00+2.00+4.00

85.25 mm CW.109.962

85.50 mm CW.109.972



MERCEDES BENZ : 001 131 11 11
WABCO : 911 501 920 2

Crankcase

CW.116.4010



WABCO : 411 151 010 2

Connecting Rod

CW.123.501



MERCEDES BENZ : 000 131 25 17
WABCO : 911 145 738 2

Crankshaft

CW.111.601



WABCO : 411 151 693 4

Bushing

CW.117.434

39x35x22



MERCEDES BENZ : 000 131 44 50
WABCO : 411 151 340 4

Gear

CW.117.606

Ø116.20 Z:39

Top View



Bottom View

MERCEDES BENZ : 906 132 03 05
WABCO : 895 905 169 4

Rear Cover

CW.123.7002



MERCEDES BENZ : 000 131 29 32
WABCO : 411 147 603 4

Gasket Kit

CW.116.905



MERCEDES BENZ : 000 130 50 15
WABCO : 411 154 000 2

Reed Valve Kit

CW.116.906



Nut

CW.111.603

M20x1.5 Left Hand



MERCEDES BENZ : 002 990 66 50

CW.112.000

MERCEDES BENZ
906 130 11 15
906 130 28 15

WABCO
411 151 003 0

CW.179.000

MERCEDES BENZ
906 130 41 15
906 130 50 15

WABCO
411 151 008 0


VEHICLE APPLICATION
AXOR
ATEGO



Cylinder Bore	Ø85.00	Number of Cylinders	1	Water or Air Cooled	Water	Unloader Port Size	-
Stroke	42 mm	Air Inlet Port Size	Ø30	Through Drive	Gear	Water Inlet Port Size	M14x1,5
Swept Volume	238 cm³	Air Delivery Port Size	M26x1,5	With ESS System	-	Water Delivery Port Size	M14x1,5

Complete Cylinderhead

CW.117.1000



MERCEDES BENZ : 000 131 51 19 / 000 131 53 19
WABCO : 411 151 803 2 / 411 154 800 2

Cylinder Up Head

CW.117.1020

Top View



Bottom View

Cylinder Bottom Head

CW.117.1040

Top View



Bottom View


Full Repair Kit

CW.117.901



Repair Kit

CW.117.903



Repair Kit

CW.117.904





Piston & Ring

85.00 mm CW.109.350

85.25 mm CW.109.960

85.50 mm CW.109.970



MERCEDES BENZ : 000 130 34 17 / 000 130 53 17
WABCO : 911 501 624 2 / 911 501 625 2

Piston

85.00 mm CW.109.351

85.25 mm CW.109.961

85.50 mm CW.109.971



Connecting Rod

CW.112.501

MERCEDES BENZ : 000 131 27 17
WABCO : 411 151 732 2


Ring

85.00 mm CW.109.352

2.00+2.00+4.00

85.25 mm CW.109.962

85.50 mm CW.109.972



MERCEDES BENZ : 001 131 11 11
WABCO : 911 501 920 2

Crankcase

CW.117.4010



WABCO : 411 154 012 6 / 412 352 016 2

Connecting Rod

CW.112.501



MERCEDES BENZ : 000 131 27 17
WABCO : 411 151 732 2

Crankshaft

CW.111.601



WABCO : 411 154 693 4

Bushing

CW.117.434

39x35x22



MERCEDES BENZ : 000 131 44 50
WABCO : 411 151 340 4

Gear

CW.117.606

Ø116.20 Z:39

Top View



Bottom View

MERCEDES BENZ : 906 132 03 05
WABCO : 895 905 169 4

Rear Cover

CW.123.7002



MERCEDES BENZ : 000 131 29 32
WABCO : 411 147 603 4

Gasket Kit

CW.117.905



MERCEDES BENZ : 000 130 68 15
WABCO : 411 154 000 2

Reed Valve Kit

CW.117.906



Nut

CW.111.603

M20x1.5 Left Hand



MERCEDES BENZ : 002 990 66 50
WABCO : 810 341 003 4

CW.113.000

MERCEDES BENZ
002 131 15 01

WABCO
411 034 531 0

VEHICLE APPLICATION
OM 355 A/LA
OM 366 A
L 1519 / L 1520
LS 1924 / LS1929
LS 1933 / LS 1934



Cylinder Bore	Ø90.00	Number of Cylinders	1	Water or Air Cooled	Water	Unloader Port Size	-
Stroke	36 mm	Air Inlet Port Size	M26x1,5	Through Drive	Pulley	Water Inlet Port Size	-
Swept Volume	229cm ³	Air Delivery Port Size	M26x1,5	With ESS System	-	Water Delivery Port Size	-

Complete Cylinderhead **CW.113.1000**



Cylinderhead **CW.113.1010**



MERCEDES BENZ : 000 130 45 19
WABCO : 411 034 653 2

Valve Plate **CW.101.200**




MERCEDES BENZ : 000 130 13 20
WABCO : 411 034 500 2

Valve Plate **CW.101.2010**




Repair Kit **CW.101.903**



WABCO : 411 034 005 2

Repair Kit **CW.101.911**



MERCEDES BENZ : 000 586 27 13
WABCO : 411 034 001 2



Piston & Ring

90.00 mm CW.101.350

90.25 mm CW.101.960

90.50 mm CW.101.970



MERCEDES BENZ : 000 130 11 17
WABCO : 411 042 620 2 / 411 042 629 2

Piston

90.00 mm CW.101.351

90.25 mm CW.101.961

90.50 mm CW.101.971



Ring

90.00 mm CW.101.352

2.50+2.50+4.00

90.25 mm CW.101.962

90.50 mm CW.101.972



MERCEDES BENZ : 000 131 02 11 / 000 131 82 11
WABCO : 411 042 001 2

Crankcase

CW.101.4010



MERCEDES BENZ : 000 130 21 15

Connecting Rod

CW.101.501

WBS Modified Forging Connecting Rod
- without Con Rod Bearing



MERCEDES BENZ : 000 131 19 16 / 000 131 24 16
WABCO : 411 042 733 2

Crankshaft

CW.101.601



MERCEDES BENZ : 000 131 19 16 / 000 131 37 19
WABCO : 411 042 690 4

Cylinder Liner Set

CW.104.300

STD. Piston & Ring



MERCEDES BENZ : 000 130 02 08 / 000 131 45 60

Cylinder Liner


CW.104.3010



MERCEDES BENZ : 000 131 28 02 / 001 131 36 02
WABCO : 411 034 570 4

Flange Cover

CW.101.7001



MERCEDES BENZ : 000 130 02 32
WABCO : 411 042 660 2

Bushing

CW.101.434



MERCEDES BENZ : 000 131 21 50
WABCO : 411 042 340 4

Ball Bearing

CW.101.413



Reed Valve Kit

CW.101.906



CW.116.000

MERCEDES BENZ
906 130 06 01
906 130 07 15

WABCO
411 153 000 0


VEHICLE APPLICATION
OM 904 LA
OM 906 HLA



Cylinder Bore	Ø85.00	Number of Cylinders	1	Water or Air Cooled	Water	Unloader Port Size	-
Stroke	56 mm	Air Inlet Port Size	M26x1,5	Through Drive	Gear	Water Inlet Port Size	M14x1,5
Swept Volume	318 cm ³	Air Delivery Port Size	M26x1,5	With ESS System	-	Water Delivery Port Size	M14x1,5

Complete Cylinderhead

CW.116.1000



MERCEDES BENZ : 000 131 49 19
WABCO : 411 151 800 2 / 411 151 801 2

Cylinder Up Head

CW.116.1020



MERCEDES BENZ : 000 131 22 21
WABCO : 411 151 654 4

Cylinder Bottom Head


CW.116.1040



MERCEDES BENZ : 000 131 08 09 / 000 131 09 09
WABCO : 411 151 652 2


Full Repair Kit

CW.116.901



Repair Kit

CW.116.903



Repair Kit

CW.116.904





Piston & Ring

85.00 mm CW.109.350

85.25 mm CW.109.960

85.50 mm CW.109.970



MERCEDES BENZ : 000 130 34 17 / 000 130 53 17
WABCO : 911 501 624 2 / 911 501 625 2

Piston

85.00 mm CW.109.351

85.25 mm CW.109.961

85.50 mm CW.109.971



Ring

85.00 mm CW.109.352

2.00+2.00+4.00

85.25 mm CW.109.962

85.50 mm CW.109.972



MERCEDES BENZ : 001 131 11 11
WABCO : 911 501 920 2

Crankcase

CW.116.4010



WABCO : 411 151 010 2

Connecting Rod

CW.109.501



MERCEDES BENZ : 000 131 24 17
WABCO : 911 145 737 2

Crankshaft

CW.116.601



WABCO : 411 153 692 4

Bushing

CW.117.434

39x35x22



MERCEDES BENZ : 000 131 44 50
WABCO : 411 151 340 4

Gear

CW.117.606

Ø116.20 Z:39

Top View



Bottom View

MERCEDES BENZ : 906 132 03 05
WABCO : 895 905 169 4

Rear Cover

CW.123.7002



MERCEDES BENZ : 000 131 29 32
WABCO : 411 147 603 4

Gasket Kit

CW.116.905



MERCEDES BENZ : 000 130 50 15
WABCO : 411 154 000 2

Reed Valve Kit

CW.116.906



Nut

CW.116.603

M20x1.5 Right Hand



CW.117.000

MERCEDES BENZ
906 130 29 15
906 130 12 15

WABCO
411 154 000 0

CW.214.000

MERCEDES BENZ
906 130 42 15

WABCO
411 154 003 0


VEHICLE APPLICATION

AXOR
ATEGO
OM 904 LA
OM 906 LA/HLA
OM 924 LA
OM 926 LA



Cylinder Bore	Ø85.00	Number of Cylinders	1	Water or Air Cooled	Water	Unloader Port Size	-
Stroke	62 mm	Air Inlet Port Size	Ø30	Through Drive	Gear	Water Inlet Port Size	M14x1,5
Swept Volume	352 cm³	Air Delivery Port Size	M26x1,5	With ESS System	-	Water Delivery Port Size	M14x1,5

Complete Cylinderhead **CW.117.1000**



MERCEDES BENZ : 000 131 51 19 / 000 131 53 19
WABCO : 411 151 803 2 / 411 154 800 2

Cylinder Up Head **CW.117.1020**

Top View



Bottom View

Cylinder Bottom Head **CW.117.1040**

Top View



Bottom View

Full Repair Kit **CW.117.901**



Repair Kit **CW.117.903**



Repair Kit **CW.117.904**





Piston & Ring

85.00 mm CW.109.350

85.25 mm CW.109.960

85.50 mm CW.109.970



MERCEDES BENZ : 000 130 34 17 / 000 130 53 17
WABCO : 911 501 624 2 / 911 501 625 2

Piston

85.00 mm CW.109.351

85.25 mm CW.109.961

85.50 mm CW.109.971



Ring

85.00 mm CW.109.352

2.00+2.00+4.00

85.25 mm CW.109.962

85.50 mm CW.109.972



MERCEDES BENZ : 001 131 11 11
WABCO : 911 501 920 2

Crankcase

CW.117.4010



WABCO : 411 154 012 6 / 412 352 016 2

Connecting Rod

CW.123.501



MERCEDES BENZ : 000 131 25 17
WABCO : 911 145 738 2

Crankshaft

CW.117.601



MERCEDES BENZ : 000 131 65 16
WABCO : 411 154 690 4 / 412 352 698 4

Bushing

CW.117.434

39x35x22



MERCEDES BENZ : 000 131 44 50
WABCO : 411 151 340 4

Gear

CW.117.606

Ø116.20 Z:39

Top View



Bottom View

MERCEDES BENZ : 906 132 03 05
WABCO : 895 905 169 4

Rear Cover

CW.123.7002



MERCEDES BENZ : 000 131 29 32
WABCO : 411 147 603 4

Gasket Kit

CW.117.905



MERCEDES BENZ : 000 130 68 15
WABCO : 411 154 000 2

Reed Valve Kit

CW.117.906



Nut

CW.111.603

M20x1.5 Left Hand



MERCEDES BENZ : 002 990 66 50
WABCO : 810 341 003 4

MERCEDES BENZ AXOR OM 457

Single Cylinder Compressor
Ø85,00 mm 352 cc


CW.119.000

MERCEDES BENZ
457 130 24 15
WABCO
412 352 014 0

CW.167.000

MERCEDES BENZ
457 130 44 15
WABCO
412 352 026 0

VEHICLE APPLICATION
AXOR
OM 457




CW.119.000

CW.167.000

*** Version for Buses, Air Delivery Port on Top


Cylinder Bore	Ø85.00	Number of Cylinders	1	Water or Air Cooled	Water	Unloader Port Size	M12x1,5
Stroke	62 mm	Air Inlet Port Size	M26x1,5	Through Drive	Gear	Water Inlet Port Size	M16x1,5
Swept Volume	352 cm³	Air Delivery Port Size	M26x1,5	With ESS System	Yes	Water Delivery Port Size	M16x1,5

Complete Cylinderhead **CW.119.1000**



MERCEDES BENZ : 000 130 12 15 / 001 130 52 19
WABCO : 412 352 922 2

Cylinder Up Head **CW.119.1020**




Cylinder Bottom Head **CW.119.1040**




Full Repair Kit **CW.119.901**




Repair Kit **CW.119.903**



Repair Kit **CW.119.911**



MERCEDES BENZ : 001 130 26 15
WABCO : 412 352 922 2 / 412 352 923 2



Piston & Ring

85.00 mm CW.109.350

85.25 mm CW.109.960

85.50 mm CW.109.970



MERCEDES BENZ : 000 130 34 17 / 000 130 53 17
WABCO : 911 501 624 2 / 911 501 625 2

Piston

85.00 mm CW.109.351

85.25 mm CW.109.961

85.50 mm CW.109.971




Ring

85.00 mm CW.109.352

2.00+2.00+4.00

85.25 mm CW.109.962

85.50 mm CW.109.972



MERCEDES BENZ : 001 131 11 11
WABCO : 911 501 920 2

Crankcase

CW.119.4010



WABCO : 412 905 011 2 / 412 352 011 6

Connecting Rod

CW.123.501



MERCEDES BENZ : 000 131 25 17
WABCO : 911 145 738 2

Crankshaft

CW.119.601



WABCO : 412 905 690 4

Bushing

CW.123.434



WABCO : 911 553 204 4

Gear

CW.119.606

Ø84.60 Z:27

Top View



Bottom View

MERCEDES BENZ : 457 132 09 05
WABCO : 895 905 188 4

Rear Cover


CW.123.7002



MERCEDES BENZ : 000 131 29 32
WABCO : 411 147 603 4

Repair Kit

CW.167.903



Reed Valve Kit

CW.119.906



Nut

CW.111.603

M20x1.5 Left Hand



MERCEDES BENZ : 002 990 66 50
WABCO : 810 341 003 4

CW.121.000

MERCEDES BENZ
457 130 04 15
WABCO
911 553 000 0
884 010 608 0

CW.122.000


MERCEDES BENZ
457 130 15 15
WABCO
911 553 001 0

VEHICLE APPLICATION
AXOR
OM457




Cylinder Bore	Ø85.00	Number of Cylinders	2	Water or Air Cooled	Water	Unloader Port Size	M12x1,0
Stroke	56 mm	Air Inlet Port Size	Ø30	Through Drive	Gear	Water Inlet Port Size	M16x1,5
Swept Volume	636 cm³	Air Delivery Port Size	M26x1,5	With ESS System	Yes	Water Delivery Port Size	M16x1,5

Complete Cylinderhead CW.121.1000




MERCEDES BENZ : 000 131 52 19
WABCO : 911 553 920 2 / 911 553 656 2

Cylinder Up Head CW.124.1020




Cylinder Bottom Head CW.195.1040




** Water Inlet Port Size M14

Complete Cylinderhead CW.122.1000



MERCEDES BENZ : 000 131 52 19
WABCO : 911 553 920 2 / 911 553 656 2

Cylinder Bottom Head CW.124.1040



** Water Inlet Port Size M16

Repair Kit CW.122.903





Piston & Ring

85.00 mm CW.109.350

85.25 mm CW.109.960

85.50 mm CW.109.970



MERCEDES BENZ : 000 130 34 17 / 000 130 53 17
WABCO : 911 501 624 2 / 911 501 625 2

Piston

85.00 mm CW.109.351

85.25 mm CW.109.961

85.50 mm CW.109.971




Ring

85.00 mm CW.109.352

2.00+2.00+4.00

85.25 mm CW.109.962

85.50 mm CW.109.972



MERCEDES BENZ : 001 131 11 11
WABCO : 911 501 920 2

Crankcase

CW.122.4010



WABCO : 911 553 012 6

Connecting Rod

CW.109.501



MERCEDES BENZ : 000 131 24 17
WABCO : 911 145 737 2

Crankshaft

CW.122.601



WABCO : 911 553 691 4

Bushing

CW.122.434



WABCO : 911 153 340 4

Gear

CW.140.606

Ø79.00 Z:25

Top View



Bottom View

MERCEDES BENZ : 457 132 00 05
WABCO : 895 905 210 4

Rear Cover


CW.123.7002



MERCEDES BENZ : 000 131 29 32
WABCO : 411 147 603 4


Full Repair Kit

CW.122.901



Gasket Kit

CW.122.905



Crankshaft Bolt

CW.122.603

M18x30



CW.123.000

MERCEDES BENZ
457 130 18 15
WABCO
911 553 002 0

VEHICLE APPLICATION
AXOR
OM457



Cylinder Bore	Ø85.00	Number of Cylinders	2	Water or Air Cooled	Water	Unloader Port Size	M12x1,0
Stroke	56 mm	Air Inlet Port Size	M26x1,5	Through Drive	Gear	Water Inlet Port Size	M16x1,5
Swept Volume	636 cm³	Air Delivery Port Size	M26x1,5	With ESS System	Yes	Water Delivery Port Size	M16x1,5

Complete Cylinderhead CW.123.1000 MERCEDES BENZ : 001 130 08 15 WABCO : 911 553 001 2	Cylinder Up Head CW.123.1020 Top View Bottom View	Cylinder Bottom Head CW.123.1040 Top View Bottom View ** Water Inlet Port Size M16
Full Repair Kit CW.123.238	Repair Kit CW.123.901	Reed Valve Kit CW.123.903

All original manufacturer part numbers, models and marks used in this catalogue are for informative purpose only.



Piston & Ring

85.00 mm CW.109.350

85.25 mm CW.109.960

85.50 mm CW.109.970



MERCEDES BENZ : 000 130 34 17 / 000 130 53 17
WABCO : 911 501 624 2 / 911 501 625 2

Piston

85.00 mm CW.109.351

85.25 mm CW.109.961

85.50 mm CW.109.971



Ring

85.00 mm CW.109.352

2.00+2.00+4.00

85.25 mm CW.109.962

85.50 mm CW.109.972



MERCEDES BENZ : 001 131 11 11
WABCO : 911 501 920 2

Crankcase

CW.123.4010



Connecting Rod

CW.123.501



MERCEDES BENZ : 000 131 25 17
WABCO : 911 145 738 2

Crankshaft

CW.123.601



WABCO : 911 553 694 4

Bushing

CW.123.434



WABCO : 911 553 204 4

Gear

CW.123.606

Ø79.40 Z:25

Top View



Bottom View

MERCEDES BENZ : 457 132 06 05
WABCO : 895 905 101 4

Rear Cover

CW.123.7002



MERCEDES BENZ : 000 131 29 32
WABCO : 411 147 603 4

Crankcase

CW.123.911



MERCEDES BENZ : 001 130 28 15 / 001 130 23 15
WABCO : 911 553 923 2 / 911 553 925 2

Reed Valve Kit

CW.123.906



Unloader Valve Kit

CW.123.921



MERCEDES BENZ AXOR OM 457

Twin Cylinder Compressor
Ø85,00 mm 636 cc

CW.124.000

MERCEDES BENZ
457 130 20 15
WABCO
911 553 003 0

CW.177.000

MERCEDES BENZ
457 130 46 15
WABCO
911 553 007 0

VEHICLE APPLICATION
AXOR
OM457




CW.124.000



CW.177.000


Cylinder Bore	Ø85.00	Number of Cylinders	2	Water or Air Cooled	Water	Unloader Port Size	M12x1,0
Stroke	56 mm	Air Inlet Port Size	Ø30	Through Drive	Gear	Water Inlet Port Size	M16x1,5
Swept Volume	636 cm³	Air Delivery Port Size	M26x1,5	With ESS System	Yes	Water Delivery Port Size	M16x1,5

Complete Cylinderhead CW.122.1000




MERCEDES BENZ : 000 131 52 19
WABCO : 911 553 920 2 / 911 553 656 2

Cylinder Up Head CW.124.1020



Cylinder Bottom Head CW.124.1040




** Water Inlet Port Size M16

Full Repair Kit CW.122.901




Repair Kit CW.122.903



WABCO : 911 553 000 2

Reed Valve Kit CW.122.906





Piston & Ring

85.00 mm CW.109.350

85.25 mm CW.109.960

85.50 mm CW.109.970



MERCEDES BENZ : 000 130 34 17 / 000 130 53 17
WABCO : 911 501 624 2 / 911 501 625 2

Piston

85.00 mm CW.109.351

85.25 mm CW.109.961

85.50 mm CW.109.971




Ring

85.00 mm CW.109.352

2.00+2.00+4.00

85.25 mm CW.109.962

85.50 mm CW.109.972



MERCEDES BENZ : 001 131 11 11
WABCO : 911 501 920 2

Crankcase

CW.124.4010



Connecting Rod

CW.123.501



MERCEDES BENZ : 000 131 25 17
WABCO : 911 145 738 2

Crankshaft

CW.123.601



WABCO : 911 553 694 4

Bushing

CW.123.434



WABCO : 911 553 204 4

Gear

CW.123.606

Ø79.40 Z:25

Top View



Bottom View

MERCEDES BENZ : 457 132 06 05
WABCO : 895 905 101 4

Rear Cover

CW.123.7002



MERCEDES BENZ : 000 131 29 32
WABCO : 411 147 603 4

Crankcase

CW.177.4010



Unloader Valve Kit

CW.123.921



Nut

CW.111.603

M20x1.5 Left Hand



MERCEDES BENZ : 002 990 66 50
WABCO : 810 341 003 4

CW.125.000

MERCEDES BENZ
457 130 12 15
WABCO
911 553 100 0

CW.127.000

MERCEDES BENZ
457 130 22 15
WABCO
911 553 103 0


VEHICLE APPLICATION
AXOR
OM457



*** Version for Buses, Air Delivery Port on Top

Cylinder Bore	Ø85.00	Number of Cylinders	2	Water or Air Cooled	Water	Unloader Port Size	M12x1,0
Stroke	56 mm	Air Inlet Port Size	M26x1,5	Through Drive	Gear	Water Inlet Port Size	M16x1,5
Swept Volume	636 cm ³	Air Delivery Port Size	M26x1,5	With ESS System	Yes	Water Delivery Port Size	M16x1,5

Complete Cylinderhead **CW.123.1000**



MERCEDES BENZ : 001 130 08 15
WABCO : 911 553 001 2

Cylinder Up Head **CW.123.1020**



Cylinder Bottom Head **CW.123.1040**




** Water Inlet Port Size M16


Full Repair Kit **CW.123.238**



Repair Kit **CW.123.901**



Reed Valve Kit **CW.123.903**





Piston & Ring

85.00 mm CW.109.350

85.25 mm CW.109.960

85.50 mm CW.109.970



MERCEDES BENZ : 000 130 34 17 / 000 130 53 17
WABCO : 911 501 624 2 / 911 501 625 2

Piston

85.00 mm CW.109.351

85.25 mm CW.109.961

85.50 mm CW.109.971



Ring

85.00 mm CW.109.352

2.00+2.00+4.00

85.25 mm CW.109.962

85.50 mm CW.109.972



MERCEDES BENZ : 001 131 11 11
WABCO : 911 501 920 2

Crankcase

CW.123.4010



Connecting Rod

CW.123.501



MERCEDES BENZ : 000 131 25 17
WABCO : 911 145 738 2

Crankshaft

CW.123.601



WABCO : 911 553 694 4

Bushing

CW.123.434



WABCO : 911 553 204 4

Gear

CW.119.606

Ø84.60 Z:27

Top View



Bottom View

MERCEDES BENZ : 457 132 09 05
WABCO : 895 905 188 4

Rear Cover

CW.123.7002



MERCEDES BENZ : 000 131 29 32
WABCO : 411 147 603 4

Crankcase

CW.123.911



MERCEDES BENZ : 001 130 28 15 / 001 130 23 15
WABCO : 911 553 923 2 / 911 553 925 2

Reed Valve Kit

CW.123.906



Nut

CW.111.603

M20x1.5 Left Hand



MERCEDES BENZ : 002 990 66 50
WABCO : 810 341 003 4

CW.126.000

MERCEDES BENZ
457 130 19 15
WABCO
911 553 101 0

CW.128.000

MERCEDES BENZ
457 130 25 15
WABCO
911 553 104 0

CW.129.000

MERCEDES BENZ
457 130 27 15
WABCO
911 553 105 0


VEHICLE APPLICATION
AXOR
OM457



*** Version for Trucks, Air Delivery Port on Rear Side

Cylinder Bore	Ø85.00	Number of Cylinders	2	Water or Air Cooled	Water	Unloader Port Size	M12x1,0
Stroke	56 mm	Air Inlet Port Size	M26x1,5	Through Drive	Gear	Water Inlet Port Size	M16x1,5
Swept Volume	636 cm ³	Air Delivery Port Size	M26x1,5	With ESS System	Yes	Water Delivery Port Size	M16x1,5

Complete Cylinderhead **CW.123.1000**



MERCEDES BENZ : 001 130 08 15
WABCO : 911 553 001 2

Cylinder Up Head **CW.123.1020**



Cylinder Bottom Head **CW.123.1040**




** Water Inlet Port Size M16


Full Repair Kit **CW.123.238**



Repair Kit **CW.123.901**



Reed Valve Kit **CW.123.903**





Piston & Ring

85.00 mm CW.109.350

85.25 mm CW.109.960

85.50 mm CW.109.970



MERCEDES BENZ : 000 130 34 17 / 000 130 53 17
WABCO : 911 501 624 2 / 911 501 625 2

Piston

85.00 mm CW.109.351

85.25 mm CW.109.961

85.50 mm CW.109.971



Ring

85.00 mm CW.109.352

2.00+2.00+4.00

85.25 mm CW.109.962

85.50 mm CW.109.972



MERCEDES BENZ : 001 131 11 11
WABCO : 911 501 920 2

Crankcase

CW.123.4010



Connecting Rod

CW.123.501



MERCEDES BENZ : 000 131 25 17
WABCO : 911 145 738 2

Crankshaft

CW.123.601



WABCO : 911 553 694 4

Bushing

CW.123.434



WABCO : 911 553 204 4

Gear

CW.119.606

Ø84.60 Z:27

Top View



Bottom View

MERCEDES BENZ : 457 132 09 05
WABCO : 895 905 188 4

Rear Cover

CW.123.7002



MERCEDES BENZ : 000 131 29 32
WABCO : 411 147 603 4

Crankcase

CW.123.911



MERCEDES BENZ : 001 130 28 15 / 001 130 23 15
WABCO : 911 553 923 2 / 911 553 925 2

Reed Valve Kit

CW.123.906



Nut

CW.111.603

M20x1.5 Left Hand



MERCEDES BENZ : 002 990 66 50
WABCO : 810 341 003 4

CW.131.000

MERCEDES BENZ
457 130 11 15
457 130 08 15

WABCO
412 352 006 0
412 352 007 0

CW.132.000

MERCEDES BENZ
457 130 14 15

WABCO
412 352 009 0

VEHICLE APPLICATION


AXOR
OM 457



Cylinder Bore	Ø85.00	Number of Cylinders	1	Water or Air Cooled	Water	Unloader Port Size	M12x1,5
Stroke	62 mm	Air Inlet Port Size	M26x1,5	Through Drive	Gear	Water Inlet Port Size	M16x1,5
Swept Volume	352 cm³	Air Delivery Port Size	M26x1,5	With ESS System	Yes	Water Delivery Port Size	M16x1,5

Complete Cylinderhead


CW.119.1000



MERCEDES BENZ : 000 130 12 15 / 001 130 52 19
WABCO : 412 352 922 2


Cylinder Up Head

CW.119.1020



Cylinder Bottom Head

CW.119.1040




Full Repair Kit

CW.119.901




Repair Kit

CW.119.903



Repair Kit

CW.119.911



MERCEDES BENZ : 001 130 26 15
WABCO : 412 352 923 2



Piston & Ring

85.00 mm CW.109.350

85.25 mm CW.109.960

85.50 mm CW.109.970



MERCEDES BENZ : 000 130 34 17 / 000 130 53 17
WABCO : 911 501 624 2 / 911 501 625 2

Piston

85.00 mm CW.109.351

85.25 mm CW.109.961

85.50 mm CW.109.971



Ring

85.00 mm CW.109.352

2.00+2.00+4.00

85.25 mm CW.109.962

85.50 mm CW.109.972



MERCEDES BENZ : 001 131 11 11
WABCO : 911 501 920 2

Crankcase

CW.131.4010



WABCO : 412 905 011 2 / 412 352 011 6

Connecting Rod

CW.123.501



MERCEDES BENZ : 000 131 25 17
WABCO : 911 145 738 2

Crankshaft

CW.119.601



WABCO : 412 905 690 4

Bushing

CW.123.434



WABCO : 911 553 204 4

Gear

CW.119.606

Ø84.60 Z:27

Top View



Bottom View

MERCEDES BENZ : 457 132 09 05
WABCO : 895 905 188 4

Rear Cover


CW.123.7002



MERCEDES BENZ : 000 131 29 32
WABCO : 411 147 603 4

Repair Kit

CW.167.903



Reed Valve Kit

CW.119.906



Nut

CW.111.603

M20x1.5 Left Hand



MERCEDES BENZ : 002 990 66 50
WABCO : 810 341 003 4

CW.133.000

MERCEDES BENZ
457 130 17 15
WABCO
412 352 010 0

CW.134.000

MERCEDES BENZ
457 130 21 15
WABCO
412 352 013 0

CW.137.000

MERCEDES BENZ
457 130 28 15
WABCO
412 352 017 0

VEHICLE APPLICATION


AXOR
OM 457



Cylinder Bore	Ø85.00	Number of Cylinders	1	Water or Air Cooled	Water	Unloader Port Size	M12x1,5
Stroke	62 mm	Air Inlet Port Size	M26x1,5	Through Drive	Gear	Water Inlet Port Size	M16x1,5
Swept Volume	352 cm³	Air Delivery Port Size	M26x1,5	With ESS System	Yes	Water Delivery Port Size	M16x1,5

Complete Cylinderhead

CW.119.100



MERCEDES BENZ : 000 130 12 15 / 001 130 52 19
WABCO : 412 352 922 2

Cylinder Up Head

CW.119.1020



Cylinder Bottom Head

CW.119.1040




Full Repair Kit

CW.119.901




Repair Kit

CW.119.903



Repair Kit

CW.119.905



MERCEDES BENZ : 001 130 26 15
WABCO : 412 352 923 2



Piston & Ring

85.00 mm CW.109.350

85.25 mm CW.109.960

85.50 mm CW.109.970



MERCEDES BENZ : 000 130 34 17 / 000 130 53 17
WABCO : 911 501 624 2 / 911 501 625 2

Piston

85.00 mm CW.109.351

85.25 mm CW.109.961

85.50 mm CW.109.971




Ring

85.00 mm CW.109.352

2.00+2.00+4.00

85.25 mm CW.109.962

85.50 mm CW.109.972



MERCEDES BENZ : 001 131 11 11
WABCO : 911 501 920 2

Crankcase

CW.119.400



WABCO : 412 905 011 2 / 412 352 011 6

Connecting Rod

CW.123.500



MERCEDES BENZ : 000 131 25 17
WABCO : 911 145 738 2

Crankshaft

CW.119.601



WABCO : 412 905 690 4

Bushing

CW.123.434



WABCO : 911 553 204 4

Gear

CW.119.606

Ø84.60 Z:27

Top View



Bottom View

MERCEDES BENZ : 457 132 09 05
WABCO : 895 905 188 4

Rear Cover


CW.123.720



MERCEDES BENZ : 000 131 29 32
WABCO : 411 147 603 4

Repair Kit

CW.167.903



Reed Valve Kit

CW.119.906



Nut

MC202061FLX

M20x1.5 Left Hand



MERCEDES BENZ : 002 990 66 50
WABCO : 810 341 003 4

CW.135.000

MERCEDES BENZ
457 130 23 15
WABCO
412 352 015 0

CW.181.000

MERCEDES BENZ
457 130 41 15
WABCO
412 352 000 0

CW.182.000

MERCEDES BENZ
457 130 16 15
WABCO
412 352 011 0

VEHICLE APPLICATION

AXOR
OM 457



Cylinder Bore	Ø85.00	Number of Cylinders	1	Water or Air Cooled	Water	Unloader Port Size	M12x1,5
Stroke	62 mm	Air Inlet Port Size	M26x1,5	Through Drive	Gear	Water Inlet Port Size	M16x1,5
Swept Volume	352 cm³	Air Delivery Port Size	M26x1,5	With ESS System	Yes	Water Delivery Port Size	M16x1,5

Complete Cylinderhead

CW.119.1000



MERCEDES BENZ : 000 130 12 15 / 001 130 52 19
WABCO : 412 352 922 2

Cylinder Up Head

CW.119.1020



Cylinder Bottom Head

CW.119.1040




Full Repair Kit

CW.119.901




Repair Kit

CW.119.903



Repair Kit

CW.119.911



MERCEDES BENZ : 001 130 26 15
WABCO : 412 352 923 2



Piston & Ring

85.00 mm CW.109.350

85.25 mm CW.109.960

85.50 mm CW.109.970



MERCEDES BENZ : 000 130 34 17 / 000 130 53 17
WABCO : 911 501 624 2 / 911 501 625 2

Piston

85.00 mm CW.109.351

85.25 mm CW.109.961

85.50 mm CW.109.971



Ring

85.00 mm CW.109.352

2.00+2.00+4.00

85.25 mm CW.109.962

85.50 mm CW.109.972



MERCEDES BENZ : 001 131 11 11
WABCO : 911 501 920 2

Crankcase

CW.119.4010



WABCO : 412 905 011 2 / 412 352 011 6

Connecting Rod

CW.123.501



MERCEDES BENZ : 000 131 25 17
WABCO : 911 145 738 2

Crankshaft

CW.119.601



WABCO : 412 905 690 4

Bushing

CW.123.434



WABCO : 911 553 204 4

Gear

CW.119.606

Ø84.60 Z:27

Top View



Bottom View

MERCEDES BENZ : 457 132 09 05
WABCO : 895 905 188 4

Rear Cover


CW.123.7002



MERCEDES BENZ : 000 131 29 32
WABCO : 411 147 603 4

Repair Kit

CW.167.903



Reed Valve Kit

CW.119.906



Nut

CW.111.603

M20x1.5 Left Hand



MERCEDES BENZ : 002 990 66 50
WABCO : 810 341 003 4

MERCEDES BENZ AXOR OM 457

Single Cylinder Compressor
Ø85,00 mm 352 cc


CW.136.000

MERCEDES BENZ
457 130 26 15
WABCO
412 352 016 0

CW.168.000

MERCEDES BENZ
457 130 45 15
WABCO
412 352 027 0

VEHICLE APPLICATION
AXOR
OM 457




CW.136.000

CW.168.000

*** Version for Trucks, Air Delivery Port on Rear Side


Cylinder Bore	Ø85.00	Number of Cylinders	1	Water or Air Cooled	Water	Unloader Port Size	M12x1,5
Stroke	62 mm	Air Inlet Port Size	M26x1,5	Through Drive	Gear	Water Inlet Port Size	M16x1,5
Swept Volume	352 cm³	Air Delivery Port Size	M26x1,5	With ESS System	Yes	Water Delivery Port Size	M16x1,5

Complete Cylinderhead **CW.167.1000**




MERCEDES BENZ : 000 130 12 15 / 001 130 52 19
WABCO : 412 352 922 2

Cylinder Up Head **CW.119.1020**




Cylinder Bottom Head **CW.119.1040**




Cooling Plate **CW.119.238**




Repair Kit **CW.119.903**



Repair Kit **CW.167.903**





Piston & Ring

85.00 mm CW.109.350

85.25 mm CW.109.960

85.50 mm CW.109.970



MERCEDES BENZ : 000 130 34 17 / 000 130 53 17
WABCO : 911 501 624 2 / 911 501 625 2

Piston

85.00 mm CW.109.351

85.25 mm CW.109.961

85.50 mm CW.109.971




Ring

85.00 mm CW.109.352

2.00+2.00+4.00

85.25 mm CW.109.962

85.50 mm CW.109.972



MERCEDES BENZ : 001 131 11 11
WABCO : 911 501 920 2

Crankcase

CW.167.4010



WABCO : 412 905 011 2 / 412 352 011 6

Connecting Rod

CW.123.501



MERCEDES BENZ : 000 131 25 17
WABCO : 911 145 738 2

Crankshaft

CW.119.601



WABCO : 412 905 690 4

Bushing

CW.123.434



WABCO : 911 553 204 4

Gear

CW.119.606

Ø84.60 Z:27

Top View



Bottom View

MERCEDES BENZ : 457 132 09 05
WABCO : 895 905 188 4

Rear Cover

CW.123.7002



MERCEDES BENZ : 000 131 29 32
WABCO : 411 147 603 4

Flange Gasket

CW.167.461



MERCEDES BENZ : 457 131 01 80

Sump Cover

CW.123.751

Ø72.00 mm



MERCEDES BENZ : 000 131 23 21
WABCO : 895 073 589 4

Unloader Valve Kit

CW.118.921



CW.140.000

MERCEDES BENZ
457 130 05 15

WABCO
911 153 001 0


VEHICLE APPLICATION
AXOR 1840
AXOR 3240



Cylinder Bore	Ø85.00	Number of Cylinders	1	Water or Air Cooled	Water	Unloader Port Size	-
Stroke	56 mm	Air Inlet Port Size	M26x1,5	Through Drive	Gear	Water Inlet Port Size	M14x1,5
Swept Volume	318 cm ³	Air Delivery Port Size	M26x1,5	With ESS System	-	Water Delivery Port Size	M14x1,5

Complete Cylinderhead

CW.140.1000



MERCEDES BENZ : 000 131 49 19
WABCO : 411 151 800 2 / 411 151 801 2

Cylinder Up Head

CW.140.1020



MERCEDES BENZ : 000 131 22 21
WABCO : 411 151 654 4

Cylinder Bottom Head


CW.116.1040



MERCEDES BENZ : 000 131 08 09 / 000 131 09 09
WABCO : 411 151 652 2


Full Repair Kit

CW.140.901



Repair Kit


CW.140.903



WABCO : 911 153 933 2 / 411 151 921 2 / 411 151 001 2

Repair Kit

CW.140.904





Piston & Ring

85.00 mm CW.109.350

85.25 mm CW.109.960

85.50 mm CW.109.970



MERCEDES BENZ : 000 130 34 17 / 000 130 53 17
WABCO : 911 501 624 2 / 911 501 625 2

Piston

85.00 mm CW.109.351

85.25 mm CW.109.961

85.50 mm CW.109.971




Ring

85.00 mm CW.109.352

2.00+2.00+4.00

85.25 mm CW.109.962

85.50 mm CW.109.972



MERCEDES BENZ : 001 131 11 11
WABCO : 911 501 920 2

Crankcase

CW.140.4010



WABCO : 911 153 013 2

Connecting Rod

CW.109.501



MERCEDES BENZ : 000 131 24 17
WABCO : 911 145 737 2

Crankshaft

CW.140.601



WABCO : 911 153 692 2

Bushing

CW.140.434

46x22x24.5



WABCO : 911 153 340 4

Gear

CW.140.606

Ø79.00 Z:25

Top View



Bottom View

MERCEDES BENZ : 457 132 00 05
WABCO : 895 905 210 4

Rear Cover

CW.123.7002



MERCEDES BENZ : 000 131 29 32
WABCO : 411 147 603 4

Gasket Kit

CW.140.905



WABCO : 411 153 000 2 / 911 153 934 2

Reed Valve Kit

CW.116.906



Crankshaft Bolt

CW.122.603

M18x30



CW.143.000

MERCEDES BENZ
003 131 50 01

WABCO
411 141 640 0

VEHICLE APPLICATION
UNIMOG



Cylinder Bore	Ø75.00	Number of Cylinders	1	Water or Air Cooled	Air	Unloader Port Size	-
Stroke	36 mm	Air Inlet Port Size	M26x1,5	Through Drive	Pulley	Water Inlet Port Size	-
Swept Volume	159cm ³	Air Delivery Port Size	M26x1,5	With ESS System	-	Water Delivery Port Size	-

Complete Cylinderhead

CW.102.1000



Cylinderhead

CW.102.1010



MERCEDES BENZ : 000 130 27 19 / 000 131 33 19
WABCO : 411 141 651 4

Valve Plate

CW.102.200



MERCEDES BENZ : 000 130 44 20 / 000 130 49 20
WABCO : 411 141 501 2

Valve Plate

CW.102.2010



Repair Kit

CW.102.903



Repair Kit

CW.102.912



MERCEDES : 000 130 16 15
WABCO : 411 140 002 2



Piston & Ring 75.00 mmCW.108.350 75.25 mmCW.108.960 75.50 mmCW.108.970 MERCEDES BENZ : 000 131 16 07 WABCO : 411 141 623 2	Piston 75.00 mmCW.108.351 75.25 mmCW.108.961 75.50 mmCW.108.971	Ring 75.00 mmCW.108.352 2.00+2.00+4.00 75.25 mmCW.108.962 75.50 mmCW.108.972
Crankcase CW.143.4010 MERCEDES BENZ : 000 131 15 17 WABCO : 411 141 927 2	Connecting Rod CW.187.501	Crankshaft CW.187.601 MERCEDES BENZ : 000 131 39 16 WABCO : 411 141 690 4
Rear Bushing CW.103.434 MERCEDES BENZ : 000 131 38 50	Front Bushing CW.101.434 MERCEDES BENZ : 000 131 39 16 WABCO : 411 034 570 4 / 411 522 340 4	Flange Cover CW.102.7001 MERCEDES BENZ : 000 131 24 32 WABCO : 411 141 923 2
Reed Valve Kit CW.102.906		

CW.155.000

MERCEDES BENZ
352 130 00 15
77mm
Some Parts Available Only

CW.156.000

MERCEDES BENZ
352 130 06 15
352 130 02 15
94mm

VEHICLE APPLICATION

OM 352
UNIMOG



CW.155.000



CW.156.000

*** CW.155.000 - Cylinder head, Liner, Piston, Kits Available Only
Complete Compressor is NOT Available

Cylinder Bore	Ø94.00	Number of Cylinders	1	Water or Air Cooled	Air	Unloader Port Size	-
Stroke	-	Air Inlet Port Size	M22x1,5	Through Drive	-	Water Inlet Port Size	-
Swept Volume	-	Air Delivery Port Size	M22x1,5	With ESS System	-	Water Delivery Port Size	-

Complete Cylinderhead

CW.155.1000



MERCEDES BENZ : 352 130 00 19

Cylinderhead

CW.156.1000



MERCEDES BENZ : 352 130 03 19

Repair Kit

CW.155.903



MERCEDES BENZ : 044 586 05 13

Repair Kit

CW.156.903



MERCEDES BENZ : 352 130 02 20 / 352 130 01 20 / 352 130 03 20


Gasket Kit

CW.156.905



Valve Kit

CW.156.906



MERCEDES BENZ : 352 586 01 13
WABCO : 411 003 008 2



Piston & Ring

77.00
mm

CW.155.350

Iron Piston Only



Piston

77.00
mm

CW.155.351

Iron Piston Only



MERCEDES BENZ : 321 131 13 07

Ring

77.00
mm

CW.155.352

2.50+2.50+2.50+2.50



MERCEDES BENZ : 343 131 00 11

Piston & Ring

94.00
mm

CW.156.350



MERCEDES BENZ : 352 130 01 17

Piston

94.00
mm

CW.156.351




Ring

94.00
mm

CW.156.352

2.50+2.50+2.50



MERCEDES BENZ : 000 131 78 11

Cylinder Liner Set

CW.155.300

STD. Piston & Ring, 77mm 4 Hole Liner



MERCEDES BENZ : 352 130 02 08

Cylinder Liner

CW.155.3010



MERCEDES BENZ : 344 131 70 02

Cylinder Liner Set

CW.156.300

STD. Piston & Ring, 94mm Liner



MERCEDES BENZ : 352 130 01 08

Cylinder Liner

CW.156.3010



MERCEDES BENZ : 352 131 30 02

Connecting Rod

CW.156.500



MERCEDES BENZ : 352 130 02 16 / 000 131 15 17

Con Rod Bearing

CW.156.507



MERCEDES BENZ : 352 131 25 33

CW.162.000

MERCEDES BENZ
906 130 13 15
906 130 14 15

WABCO
412 352 001 0
412 352 002 0

CW.165.000

MERCEDES BENZ
906 130 43 15

WABCO
412 352 025 0

VEHICLE APPLICATION
OM 906 LA
OM 924 LA
OM 926 LA
CITARO



CW.162.000

***Right Hand Thread Crankshaft




CW.165.000

***Left Hand Thread Crankshaft

Cylinder Bore	Ø85.00	Number of Cylinders	1	Water or Air Cooled	Water	Unloader Port Size	M12x1,5
Stroke	62 mm	Air Inlet Port Size	Ø30	Through Drive	Gear	Water Inlet Port Size	M14x1,5
Swept Volume	352 cm ³	Air Delivery Port Size	M26x1,5	With ESS System	Yes	Water Delivery Port Size	M14x1,5

Complete Cylinderhead

CW.165.1000



MERCEDES BENZ : 000 131 54 19
WABCO : 412 352 801 2


Cylinder Up Head

CW.165.1020



Cylinder Bottom Head

CW.165.1040



Full Repair Kit

CW.165.903



Repair Kit

CW.165.904



Gasket Kit

CW.165.905



MERCEDES BENZ : 000 130 74 15
WABCO : 412 352 000 2 / 412 352 006 2

Piston & Ring

85.00 mm CW.109.350

85.25 mm CW.109.960

85.50 mm CW.109.970



MERCEDES BENZ : 000 130 34 17 / 000 130 53 17
WABCO : 911 501 624 2 / 911 501 625 2

Piston

85.00 mm CW.109.351

85.25 mm CW.109.961

85.50 mm CW.109.971




Ring

85.00 mm CW.109.352

2.00+2.00+4.00

85.25 mm CW.109.962

85.50 mm CW.109.972



MERCEDES BENZ : 001 131 11 11
WABCO : 911 501 920 2

Crankcase

CW.117.4010



WABCO : 411 154 012 6 / 412 352 016 2

Connecting Rod

CW.123.501



MERCEDES BENZ : 000 131 25 17
WABCO : 911 145 738 2

Crankshaft

CW.117.601

*** Left Hand Thread



MERCEDES BENZ : 000 131 65 16
WABCO : 411 154 690 4 / 412 352 698 4

Bushing

CW.117.434

39x35x22



MERCEDES BENZ : 000 131 44 50
WABCO : 411 151 340 4

Gear

CW.117.606

Ø116.20 Z:39



MERCEDES BENZ : 906 132 03 05
WABCO : 895 905 169 4

Rear Cover

CW.123.7002



MERCEDES BENZ : 000 131 29 32
WABCO : 411 147 603 4

Crankcase

CW.162.4010



Crankshaft

CW.162.601

*** Right Hand Thread



Reed Valve Kit

CW.119.906



CW.171.000

MERCEDES BENZ
457 130 29 15
WABCO
911 553 200 0

CW.172.000

MERCEDES BENZ
457 130 47 15
WABCO
911 553 203 0


VEHICLE APPLICATION
AXOR OM457
TRAVEGO 15
TOURISMO 15
SETRA 415
CITARO 18M



Cylinder Bore	Ø85.00	Number of Cylinders	2	Water or Air Cooled	Water	Unloader Port Size	-
Stroke	56 mm	Air Inlet Port Size	M26x1,5	Through Drive	Gear	Water Inlet Port Size	M16x1,5
Swept Volume	636 cm³	Air Delivery Port Size	M26x1,5	With ESS System	-	Water Delivery Port Size	M16x1,5

Complete Cylinderhead


CW.171.1000



MERCEDES BENZ : 001 130 25 15
WABCO : 911 553 924 2

Cylinder Up Head

CW.171.1020



Cylinder Bottom Head

CW.171.1040



** Water Inlet Port Size M16


Cooling Plate

CW.123.238




Repair Kit

CW.171.901



Repair Kit

CW.171.903





Piston & Ring

85.00 mm CW.109.350

85.25 mm CW.109.960

85.50 mm CW.109.970



MERCEDES BENZ : 000 130 34 17 / 000 130 53 17
WABCO : 911 501 624 2 / 911 501 625 2

Piston

85.00 mm CW.109.351

85.25 mm CW.109.961

85.50 mm CW.109.971



Ring

85.00 mm CW.109.352

2.00+2.00+4.00

85.25 mm CW.109.962

85.50 mm CW.109.972



MERCEDES BENZ : 001 131 11 11
WABCO : 911 501 920 2

Crankcase

CW.123.4010



Connecting Rod

CW.123.501



MERCEDES BENZ : 000 131 25 17
WABCO : 911 145 738 2

Crankshaft

CW.123.601



WABCO : 911 553 694 4

Bushing

CW.123.434



WABCO : 911 553 204 4

Gear

CW.119.606

Ø84.60 Z:27

Top View



Bottom View

MERCEDES BENZ : 457 132 09 05
WABCO : 895 905 188 4

Rear Cover


CW.123.7002



MERCEDES BENZ : 000 131 29 32
WABCO : 411 147 603 4

Gasket Kit

CW.171.911



MERCEDES BENZ : 001 130 28 15 / 001 130 23 15
WABCO : 911 553 923 2 / 911 553 925 2

Reed Valve Kit

CW.171.906



Nut

CW.111.603

M20x1.5 Left Hand



MERCEDES BENZ : 002 990 66 50
WABCO : 810 341 003 4

CW.173.000

MERCEDES BENZ
457 130 36 15
WABCO
912 510 100 0

CW.175.000

MERCEDES BENZ
457 130 48 15
WABCO
912 510 103 0

VEHICLE APPLICATION

AXOR
OM 457
CITARO



*** Version for Buses, Air Delivery Port on Top

Cylinder Bore	Ø85.00	Number of Cylinders	2	Water or Air Cooled	Water	Unloader Port Size	M12x1,0
Stroke	56 mm	Air Inlet Port Size	M26x1,5	Through Drive	Gear	Water Inlet Port Size	M16x1,5
Swept Volume	636 cm ³	Air Delivery Port Size	M26x1,5	With ESS System	Yes	Water Delivery Port Size	M16x1,5

Complete Cylinderhead

CW.176.1000



MERCEDES BENZ : 001 130 25 15
WABCO : 911 553 924 2

Cylinder Up Head

CW.176.1020

Top View



Bottom View

Cylinder Bottom Head

CW.173.1040

Top View



Bottom View

** Water Outlet Port Size M16


Cooling Plate

CW.176.238



Repair Kit

CW.176.901



Repair Kit

CW.176.903





Piston & Ring

85.00 mm CW.109.350

85.25 mm CW.109.960

85.50 mm CW.109.970



MERCEDES BENZ : 000 130 34 17 / 000 130 53 17
WABCO : 911 501 624 2 / 911 501 625 2

Piston

85.00 mm CW.109.351

85.25 mm CW.109.961

85.50 mm CW.109.971




Ring

85.00 mm CW.109.352

2.00+2.00+4.00

85.25 mm CW.109.962

85.50 mm CW.109.972



MERCEDES BENZ : 001 131 11 11
WABCO : 911 501 920 2

Crankcase

CW.176.4010



Connecting Rod

CW.123.501



MERCEDES BENZ : 000 131 25 17
WABCO : 911 145 738 2

Crankshaft

CW.123.601



WABCO : 911 553 694 4

Bushing

CW.123.434



WABCO : 911 553 204 4

Gear

CW.119.606

Ø84.60 Z:27

Top View



Bottom View

MERCEDES BENZ : 457 132 09 05
WABCO : 895 905 188 4

Rear Cover


CW.123.720



MERCEDES BENZ : 000 131 29 32
WABCO : 411 147 603 4

Gasket Kit

CW.176.911



WABCO : 912 510 921 2

Reed Valve Kit

CW.176.906



Unloader Valve Kit

CW.176.9210



CW.174.000

MERCEDES BENZ
457 130 37 15
WABCO
912 510 101 0

CW.176.000

MERCEDES BENZ
457 130 49 15
WABCO
912 510 104 0

VEHICLE APPLICATION
AXOR
OM 457
CITARO



*** Version for Trucks, Air Delivery Port on Rear Side

Cylinder Bore	Ø85.00	Number of Cylinders	2	Water or Air Cooled	Water	Unloader Port Size	M12x1,0
Stroke	56 mm	Air Inlet Port Size	M26x1,5	Through Drive	Gear	Water Inlet Port Size	M16x1,5
Swept Volume	636 cm³	Air Delivery Port Size	M26x1,5	With ESS System	Yes	Water Delivery Port Size	M16x1,5

Complete Cylinderhead

CW.176.1000



MERCEDES BENZ : 001 130 25 15
WABCO : 911 553 924 2

Cylinder Up Head

CW.176.1020



Cylinder Bottom Head

CW.173.1040



** Water Outlet Port Size M16


Cooling Plate

CW.176.238



Repair Kit

CW.176.901



Repair Kit

CW.176.903





Piston & Ring

85.00 mm CW.109.350

85.25 mm CW.109.960

85.50 mm CW.109.970



MERCEDES BENZ : 000 130 34 17 / 000 130 53 17
WABCO : 911 501 624 2 / 911 501 625 2

Piston

85.00 mm CW.109.351

85.25 mm CW.109.961

85.50 mm CW.109.971



Ring

85.00 mm CW.109.352

2.00+2.00+4.00

85.25 mm CW.109.962

85.50 mm CW.109.972



MERCEDES BENZ : 001 131 11 11
WABCO : 911 501 920 2

Crankcase

CW.176.4010



Connecting Rod

CW.123.501



MERCEDES BENZ : 000 131 25 17
WABCO : 911 145 738 2

Crankshaft

CW.123.601



WABCO : 911 553 694 4

Bushing

CW.123.434



WABCO : 911 553 204 4

Gear

CW.119.606

Ø84.60 Z:27

Top View



Bottom View

MERCEDES BENZ : 457 132 09 05
WABCO : 895 905 188 4

Rear Cover


CW.123.7002



MERCEDES BENZ : 000 131 29 32
WABCO : 411 147 603 4

Gasket Kit

CW.176.911



WABCO : 912 510 921 2

Reed Valve Kit

CW.176.906



Unloader Valve Kit

CW.176.9210



CW.183.000

MERCEDES BENZ
906 130 16 15

WABCO
412 636 001 0


VEHICLE APPLICATION
OM906
CITARO 12M



Cylinder Bore	Ø85.00	Number of Cylinders	2	Water or Air Cooled	Water	Unloader Port Size	M12x1,0
Stroke	56 mm	Air Inlet Port Size	Ø30	Through Drive	Gear	Water Inlet Port Size	M14x1,5
Swept Volume	636 cm³	Air Delivery Port Size	M26x1,5	With ESS System	Yes	Water Delivery Port Size	M16x1,5

Complete Cylinderhead


CW.183.1000



MERCEDES BENZ : 001 131 56 19
WABCO : 412 636 920 2


Cylinder Up Head

CW.183.1020



Cylinder Bottom Head

CW.183.1040



** Water Inlet Port Size M14


Full Repair Kit

CW.183.238




Repair Kit


CW.183.901



Repair Kit

CW.183.903





Piston & Ring

85.00 mm CW.109.350

85.25 mm CW.109.960

85.50 mm CW.109.970



MERCEDES BENZ : 000 130 34 17 / 000 130 53 17
WABCO : 911 501 624 2 / 911 501 625 2

Piston

85.00 mm CW.109.351

85.25 mm CW.109.961

85.50 mm CW.109.971




Ring

85.00 mm CW.109.352

2.00+2.00+4.00

85.25 mm CW.109.962

85.50 mm CW.109.972



MERCEDES BENZ : 001 131 11 11
WABCO : 911 501 920 2

Crankcase

CW.183.4010



Connecting Rod

CW.109.501



MERCEDES BENZ : 000 131 24 17
WABCO : 911 145 737 2

Crankshaft

CW.183.601



WABCO : 411 553 924 2

Bushing

CW.117.434

39x35x22



MERCEDES BENZ : 000 131 44 50
WABCO : 411 151 340 4

Gear

CW.117.606

Ø116.20 Z:39



MERCEDES BENZ : 906 132 03 05
WABCO : 895 905 169 4

Rear Cover


CW.123.7002



MERCEDES BENZ : 000 131 29 32
WABCO : 411 147 603 4


Repair Kit

CW.183.904



Gasket Kit

CW.183.905



MERCEDES BENZ : 001 130 35 15
WABCO : 412 636 921 2

Nut

CW.116.603

M20x1.5 Right Hand



CW.191.000

MERCEDES BENZ
906 130 25 15
WABCO
912 510 000 0

CW.192.000


MERCEDES BENZ
906 130 46 15
WABCO
912 510 001 0

VEHICLE APPLICATION
OM 906 LA
OM 906 HLA
OM 926 LA
TOURNO
CITARO
INTOURO



Cylinder Bore	Ø85.00	Number of Cylinders	2	Water or Air Cooled	Water	Unloader Port Size	M12x1,0
Stroke	56 mm	Air Inlet Port Size	Ø30	Through Drive	Gear	Water Inlet Port Size	M14x1,5
Swept Volume	636 cm³	Air Delivery Port Size	M26x1,5	With ESS System	Yes	Water Delivery Port Size	M16x1,5

Complete Cylinderhead **CW.191.1000**



WABCO : 912 510 922 2

Cylinder Up Head **CW.191.1020**



Cylinder Bottom Head **CW.191.1040**




** Water Inlet Port Size M14

Full Repair Kit **CW.191.238**



Repair Kit **CW.191.901**



Repair Kit **CW.191.903**





Piston & Ring

85.00 mm CW.109.350

85.25 mm CW.109.960

85.50 mm CW.109.970



MERCEDES BENZ : 000 130 34 17 / 000 130 53 17
WABCO : 911 501 624 2 / 911 501 625 2

Piston

85.00 mm CW.109.351

85.25 mm CW.109.961

85.50 mm CW.109.971



Connecting Rod

CW.109.501

MERCEDES BENZ : 000 131 24 17
WABCO : 911 145 737 2


Ring

85.00 mm CW.109.352

2.00+2.00+4.00

85.25 mm CW.109.962

85.50 mm CW.109.972



MERCEDES BENZ : 001 131 11 11
WABCO : 911 501 920 2

Crankcase

CW.191.4010



Connecting Rod

CW.109.501



Crankshaft

CW.183.601



Bushing

CW.117.434

39x35x22



MERCEDES BENZ : 000 131 44 50
WABCO : 411 151 340 4

Gear

CW.117.606

Ø116.20 Z:39



MERCEDES BENZ : 906 132 03 05
WABCO : 895 905 169 4

Rear Cover


CW.123.7002



MERCEDES BENZ : 000 131 29 32
WABCO : 411 147 603 4


Repair Kit

CW.191.904



Gasket Kit

CW.191.905



MERCEDES BENZ : 001 130 35 15
WABCO : 412 636 921 2

Nut

CW.116.603

M20x1.5 Right Hand



CW.194.000

MERCEDES BENZ
906 130 16 15
906 130 21 15

WABCO
412 636 000 0

CW.195.000

MERCEDES BENZ
906 130 45 15

WABCO
412 636 003 0

VEHICLE APPLICATION

AXOR
OM906




CW.194.000



CW.195.000


Cylinder Bore	Ø85.00	Number of Cylinders	2	Water or Air Cooled	Water	Unloader Port Size	M12x1,0
Stroke	56 mm	Air Inlet Port Size	Ø30	Through Drive	Gear	Water Inlet Port Size	M14x1,5
Swept Volume	636 cm³	Air Delivery Port Size	M26x1,5	With ESS System	Yes	Water Delivery Port Size	M16x1,5

Complete Cylinderhead **CW.195.1000**




MERCEDES BENZ : 000 131 55 19
WABCO : 412 636 001 2

Cylinder Up Head **CW.124.1020**



Cylinder Bottom Head **CW.195.1040**



** Water Inlet Port Size M14

Full Repair Kit **CW.194.901**




Repair Kit **CW.194.903**



Reed Valve Kit **CW.122.906**





Piston & Ring

85.00 mm CW.109.350

85.25 mm CW.109.960

85.50 mm CW.109.970



MERCEDES BENZ : 000 130 34 17 / 000 130 53 17
WABCO : 911 501 624 2 / 911 501 625 2

Piston

85.00 mm CW.109.351

85.25 mm CW.109.961

85.50 mm CW.109.971



Ring

85.00 mm CW.109.352

2.00+2.00+4.00

85.25 mm CW.109.962

85.50 mm CW.109.972



MERCEDES BENZ : 001 131 11 11
WABCO : 911 501 920 2

Crankcase

CW.183.4010



Connecting Rod

CW.109.501



MERCEDES BENZ : 000 131 24 17
WABCO : 911 145 737 2

Crankshaft

CW.183.601



WABCO : 411 553 924 2

Bushing

CW.117.434

39x35x22



MERCEDES BENZ : 000 131 44 50
WABCO : 411 151 340 4

Gear

CW.117.606

Ø116.20 Z:39



MERCEDES BENZ : 906 132 03 05
WABCO : 895 905 169 4

Rear Cover

CW.123.7002



MERCEDES BENZ : 000 131 29 32
WABCO : 411 147 603 4


Crankcase

CW.195.400



Gasket Kit

CW.194.905



Nut

CW.116.603

M20x1.5 Right Hand



CW.196.000

MERCEDES BENZ
906 130 15 15
WABCO
411 553 001 0

CW.247.000


MERCEDES BENZ
906 130 18 15
WABCO
411 553 002 0

VEHICLE APPLICATION
OM906
CITARO 12M




Cylinder Bore	Ø85.00	Number of Cylinders	2	Water or Air Cooled	Water	Unloader Port Size	-
Stroke	56 mm	Air Inlet Port Size	Ø30	Through Drive	Gear	Water Inlet Port Size	M14x1,5
Swept Volume	636 cm ³	Air Delivery Port Size	M26x1,5	With ESS System	-	Water Delivery Port Size	M16x1,5

Complete Cylinderhead **CW.196.1000**




MERCEDES BENZ : 001 131 56 19
WABCO : 412 636 920 2

Cylinder Up Head **CW.196.1020**



Cylinder Bottom Head **CW.196.1040**



** Water Inlet Port Size M14


Full Repair Kit **CW.183.238**



Repair Kit **CW.196.901**



Repair Kit **CW.196.903**





Piston & Ring

85.00 mm CW.109.350

85.25 mm CW.109.960

85.50 mm CW.109.970



MERCEDES BENZ : 000 130 34 17 / 000 130 53 17
WABCO : 911 501 624 2 / 911 501 625 2

Piston

85.00 mm CW.109.351

85.25 mm CW.109.961

85.50 mm CW.109.971



Ring

85.00 mm CW.109.352

2.00+2.00+4.00

85.25 mm CW.109.962

85.50 mm CW.109.972



MERCEDES BENZ : 001 131 11 11
WABCO : 911 501 920 2

Crankcase

CW.183.4010



Connecting Rod

CW.109.501



MERCEDES BENZ : 000 131 24 17
WABCO : 911 145 737 2

Crankshaft

CW.183.601



WABCO : 411 553 924 2

Bushing

CW.117.434

39x35x22



MERCEDES BENZ : 000 131 44 50
WABCO : 411 151 340 4

Gear

CW.117.606

Ø116.20 Z:39



MERCEDES BENZ : 906 132 03 05
WABCO : 895 905 169 4

Rear Cover


CW.123.7002



MERCEDES BENZ : 000 131 29 32
WABCO : 411 147 603 4


Repair Kit

CW.196.904



Gasket Kit

CW.183.905



MERCEDES BENZ : 001 130 35 15
WABCO : 412 636 921 2

Nut

CW.116.603

M20x1.5 Right Hand



CW.197.000

MERCEDES BENZ
906 130 10 15

WABCO
412 636 000 0


VEHICLE APPLICATION
AXOR
OM906



Cylinder Bore	Ø85.00	Number of Cylinders	2	Water or Air Cooled	Water	Unloader Port Size	-
Stroke	56 mm	Air Inlet Port Size	Ø30	Through Drive	Gear	Water Inlet Port Size	M14x1,5
Swept Volume	636 cm ³	Air Delivery Port Size	M26x1,5	With ESS System	-	Water Delivery Port Size	M16x1,5

Complete Cylinderhead **CW.197.1000**

***Cylinderhead without ESS System




MERCEDES BENZ : 000 131 55 19
WABCO : 412 636 001 2

Cylinder Up Head **CW.197.1020**



Cylinder Bottom Head **CW.196.1040**



** Water Inlet Port Size M14

Full Repair Kit **CW.197.901**



Repair Kit **CW.197.903**



Repair Kit **CW.197.904**





Piston & Ring

85.00 mm CW.109.350

85.25 mm CW.109.960

85.50 mm CW.109.970



MERCEDES BENZ : 000 130 34 17 / 000 130 53 17
WABCO : 911 501 624 2 / 911 501 625 2

Piston

85.00 mm CW.109.351

85.25 mm CW.109.961

85.50 mm CW.109.971




Ring

85.00 mm CW.109.352

2.00+2.00+4.00

85.25 mm CW.109.962

85.50 mm CW.109.972



MERCEDES BENZ : 001 131 11 11
WABCO : 911 501 920 2

Crankcase

CW.183.4010



Connecting Rod

CW.109.501



MERCEDES BENZ : 000 131 24 17
WABCO : 911 145 737 2

Crankshaft

CW.183.601



WABCO : 411 553 924 2

Bushing

CW.117.434

39x35x22



MERCEDES BENZ : 000 131 44 50
WABCO : 411 151 340 4

Gear

CW.117.606

Ø116.20 Z:39



MERCEDES BENZ : 906 132 03 05
WABCO : 895 905 169 4

Rear Cover


CW.123.7002



MERCEDES BENZ : 000 131 29 32
WABCO : 411 147 603 4

Gasket Kit

CW.197.905



MERCEDES BENZ : 000 130 69 15
WABCO : 411 553 000 2

Reed Valve Kit

CW.197.906



Nut

CW.116.603

M20x1.5 Right Hand



CW.198.000

MERCEDES BENZ
906 130 47 15
WABCO
411 553 003 0

CW.248.000


MERCEDES BENZ
906 130 52 15
WABCO
411 553 004 0

VEHICLE APPLICATION
OM906
CITARO 12M



Cylinder Bore	Ø85.00	Number of Cylinders	2	Water or Air Cooled	Water	Unloader Port Size	-
Stroke	56 mm	Air Inlet Port Size	Ø30	Through Drive	Gear	Water Inlet Port Size	M14x1,5
Swept Volume	636 cm ³	Air Delivery Port Size	M26x1,5	With ESS System	-	Water Delivery Port Size	M16x1,5

Complete Cylinderhead **CW.196.1000**




MERCEDES BENZ : 001 131 56 19
WABCO : 412 636 920 2

Cylinder Up Head **CW.196.1020**



Cylinder Bottom Head **CW.196.1040**



** Water Inlet Port Size M14


Full Repair Kit **CW.183.238**



Repair Kit **CW.196.901**



Repair Kit **CW.196.903**





Piston & Ring

85.00 mm CW.109.350

85.25 mm CW.109.960

85.50 mm CW.109.970



MERCEDES BENZ : 000 130 34 17 / 000 130 53 17
WABCO : 911 501 624 2 / 911 501 625 2

Piston

85.00 mm CW.109.351

85.25 mm CW.109.961

85.50 mm CW.109.971



Ring

85.00 mm CW.109.352

2.00+2.00+4.00

85.25 mm CW.109.962

85.50 mm CW.109.972



MERCEDES BENZ : 001 131 11 11
WABCO : 911 501 920 2

Crankcase

CW.195.4010



Connecting Rod

CW.109.501



MERCEDES BENZ : 000 131 24 17
WABCO : 911 145 737 2

Crankshaft

CW.183.601



WABCO : 411 553 924 2

Bushing

CW.117.434

39x35x22



MERCEDES BENZ : 000 131 44 50
WABCO : 411 151 340 4

Gear

CW.117.606

Ø116.20 Z:39



MERCEDES BENZ : 906 132 03 05
WABCO : 895 905 169 4

Rear Cover

CW.123.7002



MERCEDES BENZ : 000 131 29 32
WABCO : 411 147 603 4


Repair Kit

CW.196.904



Gasket Kit

CW.183.905



MERCEDES BENZ : 001 130 35 15
WABCO : 412 636 921 2

Nut

CW.116.603

M20x1.5 Right Hand



CW.213.000

MERCEDES BENZ
906 130 54 15

WABCO
411 151 009 0

CW.246.000

MERCEDES BENZ
906 130 50 15

WABCO
411 151 012 0

VEHICLE APPLICATION


AXOR
ATEGO



Cylinder Bore	Ø85.00	Number of Cylinders	1	Water or Air Cooled	Water	Unloader Port Size	-
Stroke	42 mm	Air Inlet Port Size	Ø30	Through Drive	Gear	Water Inlet Port Size	M14x1,5
Swept Volume	238 cm ³	Air Delivery Port Size	M26x1,5	With ESS System	-	Water Delivery Port Size	M14x1,5

Complete Cylinderhead


CW.213.1000



MERCEDES BENZ : 000 130 56 19
WABCO : 411 154 002 2 / 411 154 801 2


Cylinder Up Head

CW.213.1020



Cylinder Bottom Head

CW.213.1040



Full Repair Kit

CW.213.901



Repair Kit

CW.213.903



Repair Kit

CW.213.904





Piston & Ring

85.00 mm CW.109.350

85.25 mm CW.109.960

85.50 mm CW.109.970



MERCEDES BENZ : 000 130 34 17 / 000 130 53 17
WABCO : 911 501 624 2 / 911 501 625 2

Piston

85.00 mm CW.109.351

85.25 mm CW.109.961

85.50 mm CW.109.971




Ring

85.00 mm CW.109.352

2.00+2.00+4.00

85.25 mm CW.109.962

85.50 mm CW.109.972



MERCEDES BENZ : 001 131 11 11
WABCO : 911 501 920 2

Crankcase

CW.117.4010



WABCO : 411 154 012 6 / 412 352 016 2

Connecting Rod

CW.112.501



MERCEDES BENZ : 000 131 27 17
WABCO : 411 151 732 2

Crankshaft

CW.111.601



WABCO : 411 151 693 4

Bushing

CW.117.434

39x35x22



MERCEDES BENZ : 000 131 44 50
WABCO : 411 151 340 4

Gear

CW.117.606

Ø116.20 Z:39

Top View



Bottom View

MERCEDES BENZ : 906 132 03 05
WABCO : 895 905 169 4

Rear Cover

CW.123.7002



MERCEDES BENZ : 000 131 29 32
WABCO : 411 147 603 4

Gasket Kit

CW.213.905



Reed Valve Kit

CW.117.906



Nut

CW.111.603

M20x1.5 Left Hand



MERCEDES BENZ : 002 990 66 50
WABCO : 810 341 003 4

CW.215.000

MERCEDES BENZ
906 130 49 15
906 130 60 15

WABCO
411 154 004 0

CW.245.000

MERCEDES BENZ
906 130 51 15

WABCO
411 154 005 0

VEHICLE APPLICATION


AXOR
ATEGO



Cylinder Bore	Ø85.00	Number of Cylinders	1	Water or Air Cooled	Water	Unloader Port Size	-
Stroke	62 mm	Air Inlet Port Size	Ø30	Through Drive	Gear	Water Inlet Port Size	M14x1,5
Swept Volume	352 cm ³	Air Delivery Port Size	M26x1,5	With ESS System	-	Water Delivery Port Size	M14x1,5

Complete Cylinderhead

CW.213.1000



MERCEDES BENZ : 000 130 56 19
WABCO : 411 154 002 2 / 411 154 801 2

Cylinder Up Head

CW.213.1020

Top View



Bottom View

Cylinder Bottom Head

CW.213.1040

Top View



Bottom View

Full Repair Kit

CW.213.901



Repair Kit

CW.213.903



Repair Kit

CW.213.904





Piston & Ring

85.00 mm CW.109.350

85.25 mm CW.109.960

85.50 mm CW.109.970



MERCEDES BENZ : 000 130 34 17 / 000 130 53 17
WABCO : 911 501 624 2 / 911 501 625 2

Piston

85.00 mm CW.109.351

85.25 mm CW.109.961

85.50 mm CW.109.971



Ring

85.00 mm CW.109.352

2.00+2.00+4.00

85.25 mm CW.109.962

85.50 mm CW.109.972



MERCEDES BENZ : 001 131 11 11
WABCO : 911 501 920 2

Crankcase

CW.117.4010



WABCO : 411 154 012 6 / 412 352 016 2

Connecting Rod

CW.123.501



MERCEDES BENZ : 000 131 25 17
WABCO : 911 145 738 2

Crankshaft

CW.117.601



MERCEDES BENZ : 000 131 65 16
WABCO : 411 154 690 4 / 412 352 698 4

Bushing

CW.117.434

39x35x22



MERCEDES BENZ : 000 131 44 50
WABCO : 411 151 340 4

Gear

CW.117.606

Ø116.20 Z:39

Top View



Bottom View

MERCEDES BENZ : 906 132 03 05
WABCO : 895 905 169 4

Rear Cover

CW.123.7002



MERCEDES BENZ : 000 131 29 32
WABCO : 411 147 603 4

Gasket Kit

CW.213.905



Reed Valve Kit

CW.117.906



Nut

CW.111.603

M20x1.5 Left Hand



MERCEDES BENZ : 002 990 66 50
WABCO : 810 341 003 4

CW.239.000

MERCEDES BENZ
457 130 58 15
WABCO
912 510 002 0

CW.240.000

MERCEDES BENZ
476 130 02 15
WABCO
912 510 106 0


VEHICLE APPLICATION
AXOR OM457
TRAVEGO 15
TOURISMO 15
SETRA 415
CITARO 18M



Cylinder Bore	Ø85.00	Number of Cylinders	2	Water or Air Cooled	Water	Unloader Port Size	-
Stroke	56 mm	Air Inlet Port Size	M26x1,5	Through Drive	Gear	Water Inlet Port Size	M16x1,5
Swept Volume	636 cm³	Air Delivery Port Size	M26x1,5	With ESS System	-	Water Delivery Port Size	M16x1,5

Complete Cylinderhead

CW.171.100



MERCEDES BENZ : 001 130 25 15
WABCO : 911 553 924 2


Cylinder Up Head

CW.171.1020



Cylinder Bottom Head

CW.171.1040



** Water Inlet Port Size M16


Cooling Plate

CW.123.238




Repair Kit

CW.171.901



Repair Kit

CW.171.903





Piston & Ring

85.00 mm CW.109.350

85.25 mm CW.109.960

85.50 mm CW.109.970



MERCEDES BENZ : 000 130 34 17 / 000 130 53 17
WABCO : 911 501 624 2 / 911 501 625 2

Piston

85.00 mm CW.109.351

85.25 mm CW.109.961

85.50 mm CW.109.971



Ring

85.00 mm CW.109.352

2.00+2.00+4.00

85.25 mm CW.109.962

85.50 mm CW.109.972



MERCEDES BENZ : 001 131 11 11
WABCO : 911 501 920 2

Crankcase

CW.177.400



Connecting Rod

CW.123.500



MERCEDES BENZ : 000 131 25 17
WABCO : 911 145 738 2

Crankshaft

CW.123.601



WABCO : 911 553 694 4

Bushing

CW.123.434



WABCO : 911 553 204 4

Gear

CW.119.606

Ø84.60 Z:27

Top View



Bottom View

MERCEDES BENZ : 457 132 09 05
WABCO : 895 905 188 4

Rear Cover


CW.123.720



MERCEDES BENZ : 000 131 29 32
WABCO : 411 147 603 4

Gasket Kit

CW.171.905



MERCEDES BENZ : 001 130 28 15 / 001 130 23 15
WABCO : 911 553 923 2 / 911 553 925 2

Reed Valve Kit

CW.171.906



Nut

MC202061FLX

M20x1.5 Left Hand



MERCEDES BENZ : 002 990 66 50
WABCO : 810 341 003 4

CW.241.000

MERCEDES BENZ
457 130 69 15
WABCO
912 510 200 0

CW.242.000

MERCEDES BENZ
457 130 55 15
457 130 72 15
WABCO
912 510 105 0
912 510 201 0

VEHICLE APPLICATION
AXOR
OM 457
CITARO



CW.241.000




CW.242.000

*** CW.241.000 - Version for Buses, Air Delivery Port on Top
*** CW.242.000 - Version for Trucks, Air Delivery Port on Rear Side

Cylinder Bore	Ø85.00	Number of Cylinders	2	Water or Air Cooled	Water	Unloader Port Size	-
Stroke	56 mm	Air Inlet Port Size	M26x1,5	Through Drive	Gear	Water Inlet Port Size	M16x1,5
Swept Volume	636 cm ³	Air Delivery Port Size	M26x1,5	With ESS System	-	Water Delivery Port Size	M16x1,5

Complete Cylinderhead

CW.241.100



WABCO : 912 510 930 2

Cylinder Up Head

CW.241.1020

Top View



Bottom View

Cylinder Bottom Head

CW.241.1040

Top View



Bottom View


Cooling Plate

CW.241.238



Repair Kit

CW.241.901



Repair Kit

CW.241.903



Piston & Ring

85.00 mm CW.109.350

85.25 mm CW.109.960

85.50 mm CW.109.970



MERCEDES BENZ : 000 130 34 17 / 000 130 53 17
WABCO : 911 501 624 2 / 911 501 625 2

Piston

85.00 mm CW.109.351

85.25 mm CW.109.961

85.50 mm CW.109.971



Connecting Rod

CW.123.500

MERCEDES BENZ : 000 131 25 17
WABCO : 911 145 738 2

Ring

85.00 mm CW.109.352

2.00+2.00+4.00

85.25 mm CW.109.962

85.50 mm CW.109.972



MERCEDES BENZ : 001 131 11 11
WABCO : 911 501 920 2

Crankcase

CW.176.400



Connecting Rod

CW.123.500



Crankshaft

CW.123.601



Bushing

CW.123.434



WABCO : 911 553 204 4

Gear

CW.119.606

Ø84.60 Z:27

Top View



Bottom View

MERCEDES BENZ : 457 132 09 05
WABCO : 895 905 188 4

Rear Cover


CW.123.720



MERCEDES BENZ : 000 131 29 32
WABCO : 411 147 603 4

Gasket Kit

CW.241.905



WABCO : 912 510 931 2

Reed Valve Kit

CW.241.906



Nut

MC202061FLX

M20x1.5 Left Hand



MERCEDES BENZ : 002 990 66 50
WABCO : 810 341 003 4

CW.279.000

WABCO
411 151 006 0
884 502 006 0


VEHICLE APPLICATION
MB OF 1620 – OF 1620 Plus
MB OF 1721
MB OH 1421 L
MB OH 1621 L
MB OH 1625 L
MB OH 1628 L



Cylinder Bore	Ø85.00	Number of Cylinders	1	Water or Air Cooled	Water	Unloader Port Size	-
Stroke	42 mm	Air Inlet Port Size	M26x1,5	Through Drive	-	Water Inlet Port Size	M14x1,5
Swept Volume	238 cm ³	Air Delivery Port Size	M26x1,5	With ESS System	-	Water Delivery Port Size	M14x1,5

Complete Cylinderhead

CW.116.1000



MERCEDES BENZ : 000 131 49 19
WABCO : 411 151 800 2 / 411 151 801 2

Cylinder Up Head


CW.116.1020



MERCEDES BENZ : 000 131 22 21
WABCO : 411 151 654 4

Cylinder Bottom Head


CW.116.1040



MERCEDES BENZ : 000 131 08 09 / 000 131 09 09
WABCO : 411 151 652 2


Full Repair Kit

CW.140.901



Repair Kit


CW.140.903



WABCO : 911 153 933 2 / 411 151 921 2 / 411 151 001 2

Repair Kit

CW.140.904





Piston & Ring

85.00 mm CW.109.350

85.25 mm CW.109.960

85.50 mm CW.109.970



MERCEDES BENZ : 000 130 34 17 / 000 130 53 17
WABCO : 911 501 624 2 / 911 501 625 2

Piston

85.00 mm CW.109.351

85.25 mm CW.109.961

85.50 mm CW.109.971




Ring

85.00 mm CW.109.352

2.00+2.00+4.00

85.25 mm CW.109.962

85.50 mm CW.109.972



MERCEDES BENZ : 001 131 11 11
WABCO : 911 501 920 2

Crankcase

CW.279.4010



WABCO : 884 502 716 2

Connecting Rod

CW.123.501



MERCEDES BENZ : 000 131 25 17
WABCO : 911 145 738 2 / 912 000 730 2

Crankshaft

CW.279.601



WABCO : 411 151 694 4 / 884 502 832 4

Bushing

CW.140.434

46x22x24.5



WABCO : 911 153 340 4

Ball Bearing

CW.101.413



WABCO : 895 270 611 4

Flange Cover

CW.101.7001



MERCEDES BENZ : 000 131 11 32 / 000 130 02 32
WABCO : 411 042 660 2

Gasket Kit

CW.140.905



WABCO : 411 153 000 2 / 911 153 934 2

Reed Valve Kit

CW.116.906



Rear Cover

CW.279.721



WABCO : 911 155 651 4

CW.288.000

MERCEDES BENZ
906 130 64 15
906 130 67 15
906 130 68 15

WABCO
912 510 003 0
912 510 005 0


VEHICLE APPLICATION
OM 906 LA
OM 906 HLA
OM 926 LA
TOURNO
CITARO
INTOURO



Cylinder Bore	Ø85.00	Number of Cylinders	2	Water or Air Cooled	Water	Unloader Port Size	-
Stroke	56 mm	Air Inlet Port Size	Ø30	Through Drive	Gear	Water Inlet Port Size	M14x1,5
Swept Volume	636 cm³	Air Delivery Port Size	M26x1,5	With ESS System	-	Water Delivery Port Size	M16x1,5

Complete Cylinderhead


CW.288.1000



WABCO : 912 510 922 2


Cylinder Up Head

CW.288.1020



Cylinder Bottom Head

CW.288.1040



** Water Inlet Port Size M14


Full Repair Kit

CW.191.238




Repair Kit

CW.191.901



Repair Kit

CW.191.903





Piston & Ring

85.00 mm CW.109.350

85.25 mm CW.109.960

85.50 mm CW.109.970



MERCEDES BENZ : 000 130 34 17 / 000 130 53 17
WABCO : 911 501 624 2 / 911 501 625 2

Piston

85.00 mm CW.109.351

85.25 mm CW.109.961

85.50 mm CW.109.971



MERCEDES BENZ : 000 131 24 17
WABCO : 911 145 737 2


Ring

85.00 mm CW.109.352

2.00+2.00+4.00

85.25 mm CW.109.962

85.50 mm CW.109.972



MERCEDES BENZ : 001 131 11 11
WABCO : 911 501 920 2

Crankcase

CW.191.4010



Connecting Rod

CW.109.501



MERCEDES BENZ : 000 131 24 17
WABCO : 911 145 737 2

Crankshaft

CW.183.601



WABCO : 411 553 924 2

Bushing

CW.117.434

39x35x22



MERCEDES BENZ : 000 131 44 50
WABCO : 411 151 340 4

Gear

CW.117.606

Ø116.20 Z:39



MERCEDES BENZ : 906 132 03 05
WABCO : 895 905 169 4

Rear Cover


CW.123.7002



MERCEDES BENZ : 000 131 29 32
WABCO : 411 147 603 4


Repair Kit

CW.191.904



Gasket Kit

CW.191.905



MERCEDES BENZ : 001 130 35 15
WABCO : 412 636 921 2

Nut

CW.116.603

M20x1.5 Right Hand

